

LED Work Light for Outdoor Rescue and Construction Mobile Lighting Balloon Tower

Our Product Introduction

for more products please visit us on ushineraylight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-BL-500W-A
- Minimum Order Quantity: 2 pieces
- Price: \$478.20/pieces




Product Specification

- Color Temperature(CCT): 5000K
- IP Rating: IP65
- Beam Angle(°): 360°
- CRI (Ra>): 70
- Input Voltage(V): AC90-305V
- Lamp Luminous Efficiency(lm/w): 165
- Lamp Luminous Flux(lm): 80000
- Warranty(Year): 5-Year
- Working Lifetime(Hour): 50000
- Working Temperature(°C): -30~60
- Color Rendering Index(Ra): 70
- Emitting Color: White
- Power Supply: AC
- Light Source: LED



More Images



Product Description

Product Description



- ◆ Color temperature adjustable, Dimmable(≤320W).
- ◆ Foldable tripod and cover; Lightweight; Portable; Easy quick setup.
- ◆ Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.
- ◆ High Efficiency ≥160lm/W; Low power consumption.
- ◆ Weather resistance; Life span > 50,000hrs; Low maintenance.
- ◆ Balloon material: Waterproof, translucent, anti-UV, flame-retardant.
- ◆ Filtration device: Dust absorption.

USHINERAY



LED Balloon Light
500W~1400W

LED Balloon Light
60W~320W

Specification

Model E YXR-BL-	500W-A	600W-A	700W-A	800W-A	1000W-A	1200W-A	1400W-A
Power	500W	600W	700W	800W	1000W	1200W	1400W
Lumen(L M)	80000	96000	112000	128000	165000	192000	213000
Weight(kg)	17.5	18.1	18.5	18.8	20	21	22
Inflated Dimensio n	D70*H60		D90*H60		D110*H85		
Efficacy				165LM/W			
CCT				5000K			
CRI				≥70Ra			
LED Chips				Lumileds 2835			
LED Driver				Ivtronics			
PF				≥0.95			
Input Voltage				AC90-305V			
Life Span				50000 hrs			
IP				IP65			
Tripod							
Height(min-max)			Collapsed Height			Net Weight	
1620-3800mm			1.8m			11.5kg	

Company Profile

OUR FACTORY



BL-60W~120W-A LED Balloon Light

NEW

Specifications

Lamp	Model		1600mm	
	Power	60W / 100W / 120W	Beam Angle	Beam Diameter
Lamp	Voltage	AC100-220V	120°	1600mm
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminex 3030		
	Beam	3000K-6500K(Adjustable)		
	CRI	>90		
	OCV	3000K-6500K(Adjustable)		
	Rated Dimension	400mm		
	Lamp Weight	4.5kg / 9.5kg / 10.5kg		
Stand	Model		1600mm	
	Height	1.5m	Beam Angle	Beam Diameter
	Net Weight	6.5kg		

60W	Model		1600mm	
	Power	60W	Beam Angle	Beam Diameter
100W	Voltage	AC100-220V	120°	1600mm
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminex 3030		
	Beam	3000K-6500K(Adjustable)		
	CRI	>90		
	OCV	3000K-6500K(Adjustable)		
	Rated Dimension	400mm		
	Lamp Weight	4.5kg / 9.5kg / 10.5kg		
120W	Model		1600mm	
	Power	120W	Beam Angle	Beam Diameter
	Voltage	AC100-220V	120°	1600mm
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminex 3030		
	Beam	3000K-6500K(Adjustable)		
	CRI	>90		
	OCV	3000K-6500K(Adjustable)		
	Rated Dimension	400mm		
	Lamp Weight	4.5kg / 9.5kg / 10.5kg		

150W	Model		1600mm	
	Power	150W	Beam Angle	Beam Diameter
200W	Voltage	AC100-220V	120°	1600mm
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminex 3030		
	Beam	3000K-6500K(Adjustable)		
	CRI	>90		
	OCV	3000K-6500K(Adjustable)		
	Rated Dimension	400mm		
	Lamp Weight	4.5kg / 9.5kg / 10.5kg		
320W	Model		1600mm	
	Power	320W	Beam Angle	Beam Diameter
	Voltage	AC100-220V	120°	1600mm
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminex 3030		
	Beam	3000K-6500K(Adjustable)		
	CRI	>90		
	OCV	3000K-6500K(Adjustable)		
	Rated Dimension	400mm		
	Lamp Weight	4.5kg / 9.5kg / 10.5kg		


Package Included

- 1x LED Balloon Light
- 1x Stand
- 1x Cable Tie (Lamp & Stand)
- 1x Eye Bolt
- 1x Hook Clamp
- 1x Stand Adapter
- 1x Remote

Product Size

60W/100W/120W

Product Features



Air Rotation Function

Package Included



Product Size



60W/100W/120W

BL-150W~320W-A LED Balloon Light

NEW

Specifications

Lamp	Model		1600mm	
	Power	150W / 200W / 320W	Beam Angle	Beam Diameter
Lamp	Voltage	AC100-220V	120°	1600mm
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminex 3030		
	Beam	3000K-6500K(Adjustable)		
	CRI	>90		
	OCV	3000K-6500K(Adjustable)		
	Rated Dimension	400mm		
	Lamp Weight	8.5kg / 9.5kg / 10.5kg		
Stand	Model		1600mm	
	Height	1.5m	Beam Angle	Beam Diameter
	Net Weight	6.5kg		

150W	Model		1600mm	
	Power	150W	Beam Angle	Beam Diameter
200W	Voltage	AC100-220V	120°	1600mm
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminex 3030		
	Beam	3000K-6500K(Adjustable)		
	CRI	>90		
	OCV	3000K-6500K(Adjustable)		
	Rated Dimension	400mm		
	Lamp Weight	8.5kg / 9.5kg / 10.5kg		
320W	Model		1600mm	
	Power	320W	Beam Angle	Beam Diameter
	Voltage	AC100-220V	120°	1600mm
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminex 3030		
	Beam	3000K-6500K(Adjustable)		
	CRI	>90		
	OCV	3000K-6500K(Adjustable)		
	Rated Dimension	400mm		
	Lamp Weight	8.5kg / 9.5kg / 10.5kg		


Package Included

- 1x LED Balloon Light
- 1x Stand
- 1x Cable Tie (Lamp & Stand)
- 1x Eye Bolt
- 1x Hook Clamp
- 1x Stand Adapter
- 1x Remote

Product Size

150W/200W/320W

Product Features



Air Rotation Function

Package Included



Product Size



150W/200W/320W


BL-500W-A

LED Balloon Light

NEW

Specifications

		500W			
		1	2	3	4
Lamp	Power	500W			
	Voltage	AC220-240V			
	Frequency	50/60Hz			
	PF	>0.95			
	LED Driver	Imported			
	LED Chips	Lumileds 2835			
	Lumen	8000lm			
	CRI	75%			
Tripod	CCT	5000K			
	Infused Dimension	700mm*1000mm			
	Lamp Height	17.5kg			
	Height (mm)	1620-2000mm			
	Collapsed Height	1.5m			
	Net Weight	11.5kg			



LED BALLOON LIGHT

Patent Design 500W

Product Features



Package Included



Optional



Product Size



BL-600W-800W-A

LED Balloon Light

NEW

Specifications

		600W			
		1	2	3	4
Lamp	Power	600W			
	Voltage	AC220-240V			
	Frequency	50/60Hz			
	PF	>0.95			
	LED Driver	Imported			
	LED Chips	Lumileds 2835			
	Lumen	9600lm / 11200lm / 12800lm			
	CRI	75%			
Tripod	CCT	5000K			
	Infused Dimension	800*1000mm			
	Lamp Height	18.5kg			
	Height (mm)	1620-2000mm			
	Collapsed Height	1.5m			
	Net Weight	11.5kg			



Product Features



Package Included



Optional



Product Size





BL-1000W~1400W-A

LED Balloon Light

Specifications

Lamp	Model		1000W		1200W		1400W	
	Power		1000W	1200W	1200W	1400W	1400W	1400W
Lamp	Voltage		AC100-240V		AC100-240V		AC100-240V	
	Frequency		50/60Hz		50/60Hz		50/60Hz	
Lamp	LED Driver		US2000		US2000		US2000	
	LED Chips		18000nm / 18000nm / 22400nm		18000nm / 18000nm / 22400nm		18000nm / 18000nm / 22400nm	
Lamp	Lumen		Lumens 2830		Lumens 2830		Lumens 2830	
	CRI		70%		70%		70%	
Tripod	CCT		6000K		6000K		6000K	
	Infused Dimension		1100*600mm		1100*600mm		1100*600mm	
Tripod	Lamp Height		20kg / 20kg / 20kg		20kg / 20kg / 20kg		20kg / 20kg / 20kg	
	Height (mm)		1600-1800mm		1600-1800mm		1600-1800mm	
Tripod	Outward Height		1.8m		1.8m		1.8m	
	Net Weight		11.5KG		11.5KG		11.5KG	

1000W	Radius (m)	Area (m²)	Power (W)	Half power (W)	Full power (W)
1000W	1	3.14	3.14	1.57	3.14
	2	12.56	12.56	6.28	12.56
1200W	1	3.14	3.14	1.57	3.14
	2	12.56	12.56	6.28	12.56
1400W	1	3.14	3.14	1.57	3.14
	2	12.56	12.56	6.28	12.56

Product Features



Package Included



Optional



Product Size



COMPANY HONORS



Shenzhen Yongsheng Lighting Technology Co., Ltd.
Certified by ISO9001, ISO14001, CCC, CE, ROHS, FCC, etc.

LED Balloon Light | LED Balloon Light | LED Balloon Light | LED Balloon Light | LED Balloon Light

Email: sales@yongsheng.com Website: www.yongsheng.com Tel: 86-755-22222222

Add: 2F, 8th Bldg, Xiangcheng Industrial Park, No. 28, Pingshan Rd, Futian St, Baoan Dist, Shenzhen, China

2011 Since



LED Balloon Light Professional Manufacturer



Guangzhou International Lighting Exhibition





FAQ

Q1. Are you a manufacturer ?

Yes, we have our own factory with over 10 years R&D and manufacture experience base on ISO quality management since 2011.

Q2. Do you have any MOQ limit for led light order?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for large quantity order?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard lead time for sample is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM service?

we can provide OEM and ODM product, with customized label design on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, Western Union, and we offer EXW terms.

Q7. How to deal with the defective?

All of our product are produced in strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer 3- 5 years warranty for this product, if there is any defective during the warranty, please provide the picture or video for the working situation of the defective lights, we will ship the new lights to you within a few days or send it together with your next order.

USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen