

## 1400W Mobile LED Illumination Light Tower with Easily Movable 3.8m Telescopic Mast

Our Product Introduction

for more products please visit us on [ushineraylight.com](http://ushineraylight.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-BL-1400W-A
- Minimum Order Quantity: 2 pieces
- Price: \$1,120.20/pieces



### Product Specification

- Color Temperature(CCT): 5000K (Daylight)
- IP Rating: IP65
- Beam Angle(°): 360° Omni Coverage
- CRI (Ra>): 70Ra
- Input Voltage(V): AC100-277V
- Lamp Luminous Efficiency(lm/w): 160
- Lamp Luminous Flux(lm): 224000
- Warranty(Year): 5-Year
- Working Lifetime(Hour): 50000
- Working Temperature(°C): -35°C~55°C
- Color Rendering Index(Ra): 70
- Emitting Color: White
- Power Supply: AC
- Light Source: LED



### More Images



Products Description



**Features:**  
Color temperature adjustable, Dimmable( $\leq 320\text{W}$ ); Foldable tripod and cover; Lightweight; Portable; Easy quick setup; Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch; High Efficiency  $\geq 160\text{lm/W}$ ; Low power consumption; Weather resistance; Life span  $> 50,000\text{hrs}$ ; Low maintenance. Balloon material: Waterproof, translucent, anti-UV, flame-retardant outdoor gauze. Filtration device: Dust absorption

Product Paramenters

Lamp					
Model	60W~120W	150W~320W	500W	600W~800W	1000W~1400W
YXR-BL-A					
Power	60W/100W/120W	150W/200W/320W	500W	600W/700W/800W	1000W/1200W/1400W
Voltage	AC90-277V				
Frequency	50/60Hz				
PF	$\geq 0.95$				
LED Driver	UShineray				
LED chips	Lumileds 2835				
Lumen	9600lm/16000lm/19200lm	24000lm/32000lm/51200lm	80000lm	96000lm/112000lm/128000lm	160000lm/192000lm/224000lm
CRI	70Ra				
CCT	3000K~6000K(Adjustable)				

Inflated Dimension	400*300mm	600mm*400mm	700mm*600mm	900mm*600mm	1100mm*850mm
Lamp weight	4.5KG/5KG/5.2KG	8.5KG/8.8KG/9.2KG	17.5KG	18.1KG/18.5KG/18.8KG	20KG/21KG/22KG
Stand					
Height(min-max)	1070-1900mm		1620-3800mm		1620-3800mm
Collapsed Height	1.05m		1.8m		1.8m
Net Weight	6.3KG		11.5KG		11.5KG

## Details Images




- ◆ Color temperature adjustable, Dimmable(≤320W).
- ◆ Foldable tripod and cover; Lightweight; Portable; Easy quick setup.
- ◆ Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.
- ◆ High Efficiency ≥160lm/W; Low power consumption.
- ◆ Weather resistance; Life span > 50,000hrs; Low maintenance.
- ◆ Balloon material: Waterproof, translucent, anti-UV, flame-retardant.
- ◆ Filtration device: Dust absorption.




### ◆ Product features



Red  
Blue  
Yellow



### ◆ Parts



### ◆ Application Scenario

Film shooting, outdoor camping, outdoor event, large-scale construction, fire & engineering rescue, military, sports and emergency lighting.



## BL-60W~120W-A LED Balloon Light

NEW


### Specifications

Lamp	Model		1600mm	
	Power	60W / 100W / 120W	Beam Angle	Beam Diameter
	Voltage	AC100-220V		
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminus 3030		
	Lumen	3000lm / 5000lm / 6000lm		
	CRI	70Ra		
	OCF	3000K-6500K(Adjustable)		
	Adjusted Dimension	400mm		
	Lamp Weight	4.5kg / 5.5kg / 6.5kg		
Stand	Height (mm)	1275 / 1900mm		
	Net Weight	6.5kg		

60W		100W		120W	
Beam Angle	15°	Beam Angle	15°	Beam Angle	15°
Beam Diameter	1.5m	Beam Diameter	1.5m	Beam Diameter	1.5m
Adjusted Dimension	400mm	Adjusted Dimension	400mm	Adjusted Dimension	400mm
Lamp Weight	4.5kg	Lamp Weight	5.5kg	Lamp Weight	6.5kg
Height (mm)	1275	Height (mm)	1900	Height (mm)	1900
Net Weight	6.5kg	Net Weight	6.5kg	Net Weight	6.5kg



### Product Features



Air Rotation Function

### Package Included



### Product Size



## BL-150W~320W-A LED Balloon Light

NEW


### Specifications

Lamp	Model		1600mm	
	Power	150W / 200W / 320W	Beam Angle	Beam Diameter
	Voltage	AC100-220V		
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Luminus 3030		
	Lumen	24000lm / 32000lm / 51200lm		
	CRI	70Ra		
	OCF	3000K-6500K(Adjustable)		
	Adjusted Dimension	400mm		
	Lamp Weight	8.5kg / 9.5kg / 12.5kg		
Stand	Height (mm)	1275 / 1900mm		
	Net Weight	6.5kg		

150W		200W		320W	
Beam Angle	15°	Beam Angle	15°	Beam Angle	15°
Beam Diameter	1.5m	Beam Diameter	1.5m	Beam Diameter	1.5m
Adjusted Dimension	400mm	Adjusted Dimension	400mm	Adjusted Dimension	400mm
Lamp Weight	8.5kg	Lamp Weight	9.5kg	Lamp Weight	12.5kg
Height (mm)	1275	Height (mm)	1900	Height (mm)	1900
Net Weight	6.5kg	Net Weight	6.5kg	Net Weight	6.5kg



### Product Features



Air Rotation Function

### Package Included



### Product Size




# BL-500W-A

## LED Balloon Light

NEW

### Specifications

	Model	500W			
		Power	500W	500W	500W
Lamp	Voltage	AC220-240V			
	Frequency	50/60Hz			
	PF	>0.95			
	LED Driver	Imported			
	LED Chips	Lumileds 2835			
	Lumen	8000lm			
Tripod	CRI	99%			
	OCCT	5000h			
	Infused Dimension	700mm*1000mm			
	Lamp Height	17.5kg			
	Height (mm)	1620-2000mm			
	Collapsed Height	1.5m			
	Net Weight	11.5kg			



## LED BALLOON LIGHT

Patent Design 500W

### Product Features



### Package Included



### Optional



### Product Size



# BL-600W-800W-A

## LED Balloon Light

NEW

### Specifications

	Model	600W			
		Power	600W / 700W / 800W	600W	600W
Lamp	Voltage	AC220-240V			
	Frequency	50/60Hz			
	PF	>0.95			
	LED Driver	Imported			
	LED Chips	Lumileds 2835			
	Lumen	9600lm / 11200lm / 12800lm			
Tripod	CRI	99%			
	OCCT	5000h			
	Infused Dimension	800*1000mm			
	Lamp Height	18.5kg / 18.5kg / 18.5kg			
	Height (mm)	1620-2000mm			
	Collapsed Height	1.5m			
	Net Weight	11.5kg			



## LED BALLOON LIGHT

Patent Design 600W/700W/800W

### Product Features



### Package Included



### Optional



### Product Size








## Company Profile

---


## OUR FACTORY



# PRODUCTION SITE







## Guangzhou International Lighting Exhibition



## FAQ

### Q1. Are you a manufacturer ?

Yes, we have our own factory with over 10 years R&D and manufacture experience base on ISO quality management since 2011.

### Q2. Do you have any MOQ limit for led light order?

No MOQ, 1pc for sample checking is available.

### Q3. Can I get a lower price for large quantity order?

Yes, please check with our sales staff for the details.

### Q4. How about the lead time of UFO LED High Bay Light ?

Our standard lead time for sample is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

**Q5. Can you provide OEM and ODM service?**

**we can provide OEM and ODM product, with customized label design on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.**

**Q6. What is the payment terms of your formal order?**

**We accept payment via TT, Paypal, Western Union, and we offer EXW terms.**

**Q7. How to deal with the defective?**

**All of our product are produced in strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer 3- 5 years warranty for this product, if there is any defective during the warranty, please provide the picture or video for the working situation of the defective lights, we will ship the new lights to you within a few days or send it together with your next order.**

**USHINERAY** Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,  
Shenzhen