

1200W AC100-277V Waterproof LED Balloon Work Light Tower Easily Movable for Construction

Our Product Introduction

for more products please visit us on ushineraylight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-BL-1200W-A
- Minimum Order Quantity: 1pcs
- Payment Terms: T/T, Paypal, Western Union



Product Specification

- Color Temperature(CCT): 5000K (Daylight)
- IP Rating: IP65
- Beam Angle(°): 360° Omni Coverage
- CRI (Ra>): 70Ra
- Input Voltage(V): AC100-277V
- Lamp Luminous Efficiency(lm/w): 160
- Lamp Luminous Flux(lm): 165000lm
- Warranty(Year): 5-Year
- Working Lifetime(Hour): 50000
- Working Temperature(°C): -35°C~55°C
- Color Rendering Index(Ra): 70
- Emitting Color: White
- Power Supply: AC
- Light Source: LED



More Images



Product Description

LED balloon lights are energy efficient and offer a longer lifespan than traditional lighting solutions, making them a cost-effective choice in the long run. Moreover, LED balloon lights are very portable, making them ideal for temporary roadworks or emergencies. They can be easily transported to the required location and quickly set up to provide immediate bright and stable lighting. This is especially important for emergency service personnel, who need to work quickly and efficiently in dangerous situations.

Products Description



Features:

Color temperature adjustable, Dimmable($\leq 320W$); Foldable tripod and cover; Lightweight; Portable; Easy quick setup; Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch; High Efficiency $\geq 160lm/W$; Low power consumption; Weather resistance; Life span > 50,000hrs; Low maintenance. Balloon material: Waterproof, translucent, anti-UV, flame-retardant outdoor gauze. Filtration device: Dust absorption

Product Parameters

Lamp					
Model	60W~120W	150W~320W	500W	600W~800W	1000W~1400W
YXR-BL-A					
Power	60W/100W/120W	150W/200W/320W	500W	600W/700W/800W	1000W/1200W/1400W
Voltage	AC90-277V				
Frequency	50/60Hz				
PF	≥ 0.95				
LED Driver	USHINERAY				
LED chips	Lumileds 2835				
Lumen	9600lm/1600lm/19200lm	24000lm/32000lm/51200lm	80000lm	96000lm/112000lm/128000lm	160000lm/192000lm/224000lm
CRI	70Ra				
CCT	3000K~6000K(Adjustable)				
Inflated Dimension	400*300mm	600mm*400mm	700mm*600mm	900mm*600mm	1100mm*850mm
Lamp weight	4.5KG/5KG/5.2KG	8.5KG/8.8KG/9.2KG	17.5KG	18.1KG/18.5KG/18.8KG	20KG/21KG/22KG
Stand					
Height(min-max)	1070-1900mm		1620-3800mm		1620-3800mm
Collapsed Height	1.05m		1.8m		1.8m

Net Weight

6.3KG

11.5KG

11.5KG

Details Images




- ◆ Color temperature adjustable, Dimmable($\leq 320W$).
- ◆ Foldable tripod and cover; Lightweight; Portable; Easy quick setup.
- ◆ Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.
- ◆ High Efficiency $\geq 160lm/W$; Low power consumption.
- ◆ Weather resistance; Life span $> 50,000hrs$; Low maintenance.
- ◆ Balloon material: Waterproof, translucent, anti-UV, flame-retardant.
- ◆ Filtration device: Dust absorption.

◆ Product features



Warning Light

Red
Blue
Yellow



Air Filtration Function

◆ Parts



Remote
Optional



All White
Diffuser



Top-Reflective
Diffuser



Tripod



Trolley Portable
Power Station
Optional

◆ Application Scenario

Film shooting, outdoor camping, outdoor event, large-scale construction, fire & engineering rescue, military, sports and emergency lighting.

USHINERAY



LED Balloon Light
500W-1400W



LED Balloon Light
60W-320W



BL-60W~120W-A LED Balloon Light

NEW

Specifications

Lamp	Model		1600mm	
	Power	60W / 100W / 120W	Beam Angle	Beam Diameter
	Voltage	AC100-220V		
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Lumileds 2835		
	Lumen	3000lm / 5000lm / 6000lm		
	CRI	70Ra		
	OCF	3000K-6500K(Adjustable)		
	Adjusted Dimension	400mm		
	Lamp Weight	4.5kg / 5.5kg / 6.5kg		
Stand	Height (mm)	1275 / 1900mm		
	Net Weight	6.5kg		


60W		100W		120W	
Beam Angle	15°	Beam Angle	15°	Beam Angle	15°
Beam Diameter	1.5m	Beam Diameter	1.5m	Beam Diameter	1.5m
Adjusted Dimension	400mm	Adjusted Dimension	400mm	Adjusted Dimension	400mm
Lamp Weight	4.5kg	Lamp Weight	5.5kg	Lamp Weight	6.5kg
Height (mm)	1275	Height (mm)	1900	Height (mm)	1900
Net Weight	6.5kg	Net Weight	6.5kg	Net Weight	6.5kg



LED BALLOON LIGHT

Patent Design 60W-120W

Product Features



Air Rotation Function

Package Included



Product Size



60W/100W/120W

BL-150W~320W-A LED Balloon Light

NEW

Specifications

Lamp	Model		1600mm	
	Power	150W / 200W / 320W	Beam Angle	Beam Diameter
	Voltage	AC100-220V		
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Ultramini		
	LED Chips	Lumileds 2835		
	Lumen	24000lm / 32000lm / 51200lm		
	CRI	70Ra		
	OCF	3000K-6500K(Adjustable)		
	Adjusted Dimension	400mm		
	Lamp Weight	8.5kg / 9.5kg / 12.5kg		
Stand	Height (mm)	1275 / 1900mm		
	Net Weight	12.5kg		


150W		200W		320W	
Beam Angle	15°	Beam Angle	15°	Beam Angle	15°
Beam Diameter	1.5m	Beam Diameter	1.5m	Beam Diameter	1.5m
Adjusted Dimension	400mm	Adjusted Dimension	400mm	Adjusted Dimension	400mm
Lamp Weight	8.5kg	Lamp Weight	9.5kg	Lamp Weight	12.5kg
Height (mm)	1275	Height (mm)	1900	Height (mm)	1900
Net Weight	12.5kg	Net Weight	12.5kg	Net Weight	12.5kg



LED BALLOON LIGHT

Patent Design 150W-320W

Product Features



Air Rotation Function

Package Included



Product Size



150W/200W/320W


BL-500W-A

LED Balloon Light

NEW

Specifications

		500W			
		1	2	3	4
Lamp	Power	500W			
	Voltage	AC220-240V			
	Frequency	50/60Hz			
	PF	>0.95			
	LED Driver	Imported			
	LED Chips	Lumileds 2835			
	Lumen	8000lm			
	CRI	70%			
Tripod	OCF	500N			
	Infused Dimension	700mm/1000mm			
	Lamp Height	17.5kg			
	Height (mm)	1620/2000mm			
	Collapsed Height	1.5m			
	Net Weight	11.5kg			



LED BALLOON LIGHT

Patent Design 500W

Product Features



Air Inflation Function

Package Included



Optional



Product Size



500W

BL-600W-800W-A

LED Balloon Light

NEW

Specifications

		600W			
		1	2	3	4
Lamp	Power	600W			
	Voltage	AC220-240V			
	Frequency	50/60Hz			
	PF	>0.95			
	LED Driver	Imported			
	LED Chips	Lumileds 2835			
	Lumen	9600lm / 11200lm / 12800lm			
	CRI	70%			
Tripod	OCF	800N			
	Infused Dimension	800/1000mm			
	Lamp Height	18.7kg / 18.5kg / 18.5kg			
	Height (mm)	1620/2000mm			
	Collapsed Height	1.5m			
	Net Weight	11.5kg			



LED BALLOON LIGHT

Patent Design 600W/800W

Product Features



Air Inflation Function

Package Included



Optional



Product Size




600W/700W/800W



Company Profile

OUR FACTORY




PRODUCTION SITE





Guangzhou International Lighting Exhibition



FAQ

Q1. Are you a manufacturer ?

Yes, we have our own factory with over 10 years R&D and manufacture experience base on ISO quality management since 2011.

Q2. Do you have any MOQ limit for led light order?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for large quantity order?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of UFO LED High Bay Light ?

Our standard lead time for sample is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM service?

we can provide OEM and ODM product, with customized label design on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, Western Union, and we offer EXW terms.

Q7. How to deal with the defective?

All of our product are produced in strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer 3- 5 years warranty for this product, if there is any defective during the warranty, please provide the picture or video for the working situation of the defective lights, we will ship the new lights to you within a few days or send it together with your next order.

USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,
Shenzhen