

160 lm/w UShineray 100w 220V Work Light with Stand and 80 Ra Color Rendering Index

Our Product Introduction

for more products please visit us on ushineraylight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-BL-100W-A
- Minimum Order Quantity: 2 pieces
- Price: \$164.61 - \$169.70/pieces




Product Specification

- Color Temperature(CCT): 3000-6000K
- IP Rating: IP65
- Beam Angle(°): 360°
- CRI (Ra>): 80
- Input Voltage(V): AC 100-277V
- Lamp Luminous Efficiency(lm/w): 160
- Lamp Luminous Flux(lm): 16000
- Warranty(Year): 5-Year
- Working Lifetime(Hour): 50000
- Color Rendering Index(Ra): 80
- Emitting Color: White
- Power Supply: AC
- Light Source: LED
- Support Dimmer: Yes



More Images



Product Description

Product Description



Features:

1. Original design function: Filtration device - Dust absorption;
2. Wide area coverage with 360° illumination;
3. Glare-free, diffused lighting; Lightweight and portable;
4. High Efficiency $\geq 160\text{lm/W}$; Low power consumption;
5. Water-resistant LED balloon light rated to IP65 standard;
6. Dimmable ($\leq 320\text{W}$); On-off button switch;
7. Foldable tripod and cover, easy quick setup;
8. Weather resistant design including a waterproof, UV resistant and fire retardant balloon; Life span $> 50,000\text{hrs}$;
9. Balloon material: Waterproof, translucent, anti-UV, flame-retardant outdoor gauze.

Specification

Model No.	YXR-BL	60W-A	100W-A	120W-A	150W-A	200W-A	320W-A
Power		60W	100W	120W	150W	200W	320W
Lumen (lm)		9600	16000	19200	24000	32000	51200
Lamp Weight (kg)		4.5	5.0	5.2	8.5	8.8	9.2
Inflated Dimension			D40*H30			D60*H40	
Light Efficiency				160lm/W			
LED Chips				Lumileds 2835			
Voltage				AC 100-277V			
CRI				$\geq 70\text{Ra}$			
CCT				3000K~6000K (Adjustable)			
IP Grade				IP65			
Work Temp				-20~60°C			
				Tripod			
				Height(min-max)	Collapsed Height	Net Weight	
				1070-1900mm	1.05m	6.3kg	



- ◆ Color temperature adjustable, Dimmable(≤320W).
- ◆ Foldable tripod and cover; Lightweight; Portable; Easy quick setup.
- ◆ Glare-free; Diffused light; 360° illumination; Dimmable; On-off button switch.
- ◆ High Efficiency ≥160lm/W; Low power consumption.
- ◆ Weather resistance; Life span > 50,000hrs; Low maintenance.
- ◆ Balloon material: Waterproof, translucent, anti-UV, flame-retardant.
- ◆ Filtration device: Dust absorption.



LED Balloon Light
500W~1400W



LED Balloon Light
60W~320W

BL-60W-120W-A LED Balloon Light

NEW

Specifications

Lamp	Model		60W-120W-A	
	Power	60W / 100W / 120W		
	Voltage	AC90-277V		
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	Lumileds 2835		
	LED Chips	USNemip		
	Lumen	3000lm / 4000lm / 5000lm		
	CRI	70Ra		
	CCT	3000K-6500K(Adjustable)		
	Infused Dimensions	400x300mm		
	Lamp Height	4.5kg 5.5kg 6.5kg		
	Height(Inch)	1219-1905mm		
	Collapsed Height	1.5m		
	Net Weight	6.3kg		

60W		100W		120W	
Beam Angle at 2.9m height	Radius(m)	Area(m²)	Radius(m)	Area(m²)	Radius(m)
1	4	16	1	4	16
2	8	64	2	16	64
3	12	144	3	24	144
4	16	256	4	32	256
5	20	400	5	40	400
6	24	576	6	48	576
7	28	784	7	56	784
8	32	1024	8	64	1024
9	36	1296	9	72	1296
10	40	1600	10	80	1600



LED BALLOON LIGHT

Patent Design 60W-120W

Product Features



Package Included



Product Size



60W/100W/120W

BL-150W-320W-A LED Balloon Light

NEW

Specifications

Lamp	Model		150W-320W-A	
	Power	150W / 200W / 320W		
	Voltage	AC90-277V		
	Frequency	50/60Hz		
	PF	>0.95		
	LED Driver	USNemip		
	LED Chips	Lumileds 2835		
	Lumen	24000lm / 32000lm / 51200lm		
	CRI	70Ra		
	CCT	3000K-6500K(Adjustable)		
	Infused Dimensions	800mmx400mm		
	Lamp Height	8.5kg 9.5kg 10.5kg		
	Height(Inch)	1219-1905mm		
	Collapsed Height	1.5m		
	Net Weight	6.3kg		

150W		200W		320W	
Beam Angle at 2.9m height	Radius(m)	Area(m²)	Radius(m)	Area(m²)	Radius(m)
1	4	16	1	4	16
2	8	64	2	16	64
3	12	144	3	24	144
4	16	256	4	32	256
5	20	400	5	40	400
6	24	576	6	48	576
7	28	784	7	56	784
8	32	1024	8	64	1024
9	36	1296	9	72	1296
10	40	1600	10	80	1600



LED BALLOON LIGHT

Patent Design 150W-320W

Product Features



Package Included



Product Size



150W/200W/320W




BL-500W-A LED Balloon Light

NEW

Specifications

	Item	TM-500W-A			
		Power	500W		
Lamp	Voltage	AC90-300V			
	Frequency	50/60Hz			
	PF	>0.95			
	LED Driver	Switchmode			
	LED Chips	Lumileds 2835			
	Lumen	8000lm			
	CRI	90Ra			
	ICCT	5000K			
Tripod	Infused Dimension	750mm/1000mm			
	Lamp Weight	17.5kg			
	Height (max)	1620-2000mm			
	Collapsed height	1.5m			
	Net Weight	11.5kg			



LED BALLOON LIGHT

Patent Design 500W

Product Features



Package Included



Optional



Product Size



BL-600W-800W-A LED Balloon Light

NEW

Specifications

	Item	TM-600W-800W-A			
		Power	600W / 700W / 800W		
Lamp	Voltage	AC90-300V			
	Frequency	50/60Hz			
	PF	>0.95			
	LED Driver	Switchmode			
	LED Chips	Lumileds 2835			
	Lumen	9600lm / 11200lm / 12800lm			
	CRI	90Ra			
	ICCT	5000K			
Tripod	Infused Dimension	800/920mm			
	Lamp Weight	18.5kg / 18.5kg / 18.5kg			
	Height (max)	1620-2000mm			
	Collapsed height	1.5m			
	Net Weight	11.5kg			



LED BALLOON LIGHT

Patent Design 600W-800W

Product Features




Package Included



Optional



Product Size





BL-1000W-1400W-A LED Balloon Light

Specifications

Lamp	Model	
	BL-1000W-1400W-A	
Lamp	Power	1000W / 1200W / 1400W
	Voltage	AC100-240V
	Frequency	50/60Hz
	PF	>0.95
	LED Driver	Imported
	LED Chips	18000lm / 18000lm / 22400lm
	Lumen	Lumens 2800
	CRI	70Ra
Tripod	DOT	800K
	Inflated Dimension	1100*800mm
	Lamp Weight	3kg / 3kg / 3kg
	Height (mm)	1600-1600mm
	Collapsed Height	1.5m
	Net Weight	11.5KG

1000W		1200W		1400W	
Radius (m)		Radius (m)		Radius (m)	
1	4	1	4	1	4
2	8	2	8	2	8
3	12	3	12	3	12
4	16	4	16	4	16
5	20	5	20	5	20
6	24	6	24	6	24
7	28	7	28	7	28
8	32	8	32	8	32
9	36	9	36	9	36
10	40	10	40	10	40
11	44	11	44	11	44
12	48	12	48	12	48
13	52	13	52	13	52
14	56	14	56	14	56
15	60	15	60	15	60
16	64	16	64	16	64
17	68	17	68	17	68
18	72	18	72	18	72
19	76	19	76	19	76
20	80	20	80	20	80
21	84	21	84	21	84
22	88	22	88	22	88
23	92	23	92	23	92
24	96	24	96	24	96
25	100	25	100	25	100
26	104	26	104	26	104
27	108	27	108	27	108
28	112	28	112	28	112
29	116	29	116	29	116
30	120	30	120	30	120
31	124	31	124	31	124
32	128	32	128	32	128
33	132	33	132	33	132
34	136	34	136	34	136
35	140	35	140	35	140
36	144	36	144	36	144
37	148	37	148	37	148
38	152	38	152	38	152
39	156	39	156	39	156
40	160	40	160	40	160
41	164	41	164	41	164
42	168	42	168	42	168
43	172	43	172	43	172
44	176	44	176	44	176
45	180	45	180	45	180
46	184	46	184	46	184
47	188	47	188	47	188
48	192	48	192	48	192
49	196	49	196	49	196
50	200	50	200	50	200
51	204	51	204	51	204
52	208	52	208	52	208
53	212	53	212	53	212
54	216	54	216	54	216
55	220	55	220	55	220
56	224	56	224	56	224
57	228	57	228	57	228
58	232	58	232	58	232
59	236	59	236	59	236
60	240	60	240	60	240
61	244	61	244	61	244
62	248	62	248	62	248
63	252	63	252	63	252
64	256	64	256	64	256
65	260	65	260	65	260
66	264	66	264	66	264
67	268	67	268	67	268
68	272	68	272	68	272
69	276	69	276	69	276
70	280	70	280	70	280
71	284	71	284	71	284
72	288	72	288	72	288
73	292	73	292	73	292
74	296	74	296	74	296
75	300	75	300	75	300
76	304	76	304	76	304
77	308	77	308	77	308
78	312	78	312	78	312
79	316	79	316	79	316
80	320	80	320	80	320
81	324	81	324	81	324
82	328	82	328	82	328
83	332	83	332	83	332
84	336	84	336	84	336
85	340	85	340	85	340
86	344	86	344	86	344
87	348	87	348	87	348
88	352	88	352	88	352
89	356	89	356	89	356
90	360	90	360	90	360
91	364	91	364	91	364
92	368	92	368	92	368
93	372	93	372	93	372
94	376	94	376	94	376
95	380	95	380	95	380
96	384	96	384	96	384
97	388	97	388	97	388
98	392	98	392	98	392
99	396	99	396	99	396
100	400	100	400	100	400

LED BALLOON LIGHT

Patent Design 1000W-1400W

Product Features



Package Included



Optional



Product Size



1000W/1200W/1400W

COMPANY HONORS



Shenzhen Yongxinru Lighting Technology Co., Ltd.
Certified by ISO9001, ISO14001, CCC, CCC, CE, ROHS, FCC, etc.

LED Balloon Light | LED Street Light | LED Flood Light | LED High Bay Light | LED Wall Light

Email: sales@yongxinru.com Web: www.yongxinru.com Tel: 86 755 23306606



Add: 3F, 88 Bldg, Xiangsheng Industrial Park, No. 35, Hanyue Rd, Futian St, Bao'an Dist, Shenzhen, China

Balloon lighting manufacturer

2011
Since



LED Balloon Light
Professional Manufacturer



Free lighting consultation, Lighting and circuitry design; DIALux calculation and visualization auto CAD layout.
Combined with your on-site project needs, we will wholeheartedly provide you with professional and detailed light distribution advice and light simulation solutions.

That's great

Your service is great


God will do it

I am satisfied with the sample received this time. We will cooperate for a long time.



Company Profile

OUR FACTORY



PRODUCTION SITE





Guangzhou International Lighting Exhibition





FAQ

Q1. Are you a manufacturer ?

Yes, we have our own factory with over 10 years R&D and manufacture experience base on ISO quality management since 2011.

Q2. Do you have any MOQ limit for led light order?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for large quantity order?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard lead time for sample is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM service?

we can provide OEM and ODM product, with customized label design on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, Western Union, and we offer EXW terms.

Q7. How to deal with the defective?

All of our product are produced in strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer 3- 5 years warranty for this product, if there is any defective during the warranty, please provide the picture or video for the working situation of the defective lights, we will ship the new lights to you within a few days or send it together with your next order.

USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen