

500 Watts Outdoor Football Led Sports Stadium Light Outdoor flood light led

Our Product Introduction

for more products please visit us on ushineraylight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Certification: EMC, RoHS, CQC, CCC, CE, FCC
- Model Number: YXR-FL-500W-S
- Minimum Order Quantity: 1pcs
- Packaging Details: 1 pcs in Inner box
1 pcs per carton
Carton gross weight: 8kg
- Payment Terms: T/T, Paypal, Western Union
- Supply Ability: 3000 Piece/Pieces per Week



Product Specification

- Application: Garden
- Color Temperature(CCT): 2700-6500k
- IP Rating: IP66
- Lamp Body Material: Aluminum Alloy
- Beam Angle(°): 30/60/90/120
- CRI (Ra>): 70
- Input Voltage(V): AC100-277V
- Lamp Luminous Efficiency(lm/w): 160/170/190
- Lamp Luminous Flux(lm): 80000
- Warranty(Year): 5-Year
- Working Lifetime(Hour): 50000
- Working Temperature(°C): -40 - 60
- Color Rendering Index(Ra): 80
- Light Source: LED



More Images





Product Description

Specification



Model S	30W-S	60W-S	100W-S	200W-S	300W-S	400W-S	500W-S
YXR-FL-							
Power	30W	60W	100W	200W	300W	400W	500W
Lumen	4800	9600	16000	32000	48000	64000	80000
Size	L168*W120*H36.3 mm	L230*W180*H69.5 mm	L280*W215*H69.8 mm	L459.4*W322.5*H71.3 mm	L459.4*W322.5*H71.3 mm	L585*W420*H71.8 mm	L585*W420*H71.8 mm
Weight(KG)	0.95	2.6	3.45	6.6	6.9	10.8	11
Efficacy	160lm/w						
Led chips	Lumileds 2835						
Input Voltage	AC85-265V						
Color Temperature	2700-6500K						
CRI	≥80Ra						
Power Factor	>0.97						
Beam Angle	25°/45°/90°/120°						
Material	Aluminum alloy+PC lens						
IP Grade	IP66						

Product Sizes



400/500W

Product Description

LED FLOOD LIGHT

30W-500W 170~190lm/W





Outdoor waterproofing



Bright and uniform



Energy conservation



Long life and durability



Strong heat dissipation



5-Year warranty

PRODUCT DETAILS



01

ANGLE ADJUSTABLE 300°

Use it without worry even on rainy days. IP66 waterproof dustproof
Can be used without worry even if it rains when working outdoors.

02

IMPACT RESISTANT FURTHER

Adopts high hardness ADC12 aluminum alloy aluminum shell with excellent heat dissipation lighting fixture has excellent impact resistance





03



EXCELLENT HEAT DISSIPATION

Heat-resistant aluminum material is used, heat-resistant aluminum is luxuriously used, and heat dissipation performance is further improved with large comb-shaped fins.

PRODUCT DETAILS



2835 LED CHIP

LED chip, high brightness, energy saving and environmental protection



Waterproof Design



High Brightness





Good Heat Dissipation





Induction angle: 180°
Mounting height: 2~8m

30°/60°/90°/120°



Versatile
Facilities lighting



Wall mounted




Ceiling mounted



Ground mounted

Widely used in shopping malls, exhibition halls, parking lots, gyms, billboards, parks, sculptures, green lighting projects, buildings, facades, as well as indoor and outdoor lighting for public corridors, stairs and corridors.



APPLICATION SCENARIO

Suitable for various scenarios



COURTYARD LIGHTING

Wide area lighting with sufficient lighting



ARCHITECTURAL LIGHTING

Wide area lighting with sufficient illumination, high display index, low light attenuation, long service life



BILLBOARD LIGHTING

Wide area lighting with sufficient lighting





Adopts high hardness ADC12 aluminum alloy
Aluminum shell with excellent heat dissipation
Lighting fixture has excellent impact resistance

Outdoor



IP66

No need to worry about rainy days,
excellent waterproof performance

Waterproof



Waterproof and dustproof rating IP66!

Excellent waterproof and dustproof design for outdoor use!

Applications



IP66 waterproof dustproof, factory, workshop and outdoor use



USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.

+8613410523891

joy@ushineray.com

ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen