

## 50000 Hours Working Time Aluminum Led Flood Light 36w For Supermarket Exhibition

### Our Product Introduction

for more products please visit us on [ushineraylight.com](http://ushineraylight.com)

#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-AFL-36W-B
- Minimum Order Quantity: 1pcs
- Payment Terms: T/T, Paypal, Western Union




#### Product Specification

- Warranty(Year): 5-Year
- Color Rendering Index(Ra): 80
- Support Dimmer: Yes
- Lighting Solutions Service: Lighting And Circuitry Design, DIALux Evo Layout, LitePro DLX Layout, Agi32 Layout, Auto CAD Layout, Onsite Metering, Project Installation
- Lifespan (hours):  $\geq 50000$
- Working Time (hours): 50000
- Product Weight (kg) : 2.4
- Light Source: LED, LED
- Input Voltage(V): AC 85-265V
- Lamp Luminous Flux(lm): 5040
- Lamp Luminous Efficiency(lm/w): 140
- CRI (Ra>): 80



#### More Images



## Product Description

### Features:

- ▶ Original unique design, simple, generous with great practical function, suitable for most advertising signage applications.
- ▶ Lamp head can be rotated 234 degrees horizontally and 360 degrees vertically to ensure that the light is projected in the correct direction.
- ▶ With 2 options of color temperature, warm white 2900-3100K, neutral white 4800-5200K, switchable.
- ▶ Factory sealed water tight and IP66 rated for protection against high-pressure water jets and outdoor elements.
- ▶ Made of high precision ADC12 aluminum alloy, coated with waterproof powder coating, anti-corrosion, durable.



### Product Paramenters


Model No.	YXR-AFL-36W-W	YXR-AFL-36W-B
Power	36W	36W
Body Color	White	Black
Lumen	5050 lm	
Net Weight	3.4kg	
Product Size	L825*W173*H110 mm	
LED Chip	San'an 3030	

Input Voltage	AC85-265V
Efficacy	140 lm/W
CCT	Warm white 2900-3100K, neutral white 4800-5200K
PF	>0.95
CRI	≥80Ra
THD	15%<THD<20%
Beam Angle	110°
Work Temp	-20~40℃
Humidity	25%~90% no condensing
Life Span	≥50000H
IP Grade	IP66
IK Grade	IK08
Product Material	ADC12 Aluminum housing
Electronic Safety Grade	Class I
Power Wire	Rubber cable(3*1mm²) L=0.5M

Details Images

Product Sizes

## Applications



## Product Cases

**USHINERAY** Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,  
Shenzhen