

150lm Industrial LED High Bay Lights 400W High Bay Fixture For Sports Facilities

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Certification: CE
- Model Number: YXR-UFO-400W-A
- Minimum Order Quantity: 1pcs
- Payment Terms: T/T, Paypal, Western Union



Product Specification

- Power: 400W
- Lumen: 60000lm
- ODM OEM: Yes
- Working Lifetime(Hour): 50000
- Lamp Body Material: Aluminum
- Application: Sports Stadium Lighting
- Light Source: LED
- Warranty(Year): 5-Year
- Beam Angle: 60°/90°/120°
- Color: Black
- Highlight: 150lm industrial led high bay lights, 400w high bay fixture, industrial led high bay lights 400w



Product Description

150lm per watt 400W High Bay Light Fixtures for Sports Facilities

Our 400W high bay light fixtures are engineered for sports facilities, offering a light efficiency range of 160-150lm/W. These fixtures provide powerful illumination with minimal glare, ideal for arenas and stadiums. Their high-efficiency design ensures optimal visibility and performance, enhancing the experience for both players and spectators.

Product Features

Using SMD3030 lamp beads, high light efficiency, and high CRI.

The whole lamp light efficacy is up to 150lm/.AC100-277V input constant voltage and constant current power supply, with short circuit/over-voltage/over-current/over-temperature protection.

No dust accumulation imitating fluid dynamics design shape, simple, generous, natural dust removal, faster heat dissipation, and improved lamp life.

High-purity aluminum integrated die-casting, IP65 design, surface anodized black treatment, high-temperature resistance and corrosion resistance, heat dissipation ribs are treated with micro heat dissipation to improve heat dissipation capacity.



Product Parameters

Model	YXR-UFO-400W-A
Rated Power	400W
Other Power Options	100W 150W 200W 300W
Lumen	60000±5%lm
Size(mm)	Ø460*238mm
Net Weight	10kg
Light Efficacy	150lm/W ±5%
Beam Angle	60°/90°/120°
LED	San'an 3030
Color Temperature	2800K-6500K
Input Voltage	AC100-277V 50/60Hz (Moso)
Protection	OTP, OCP, OVP, SCP
Surge Protection	6KV
Thermal Conductivity	96 W/m·K
CRI	≥70Ra
SDCM	<6
PF	>0.97
THD	<15%
Work Temperature	-30~60°C
LED Junction Temperature	≤80°C

Humidity	15%~90% RH, no condensing
IP Grade	IP65
IK Grade	IK08
Security Requirement	CE
Environmental Directives	RoHS
Warranty	5 Years
Life Span	≥50000H
Finish	Sprayed with outdoor special powder
Body Material	PC lens + Aluminum housing
Electronic Safety Grade	Class I
Wire	Rubber cable(3*1mm²) L=0.3m

Product Details



Overall die-casting process
ADC12 aluminum, heat dissipation effect increases by 10%, life expectancy more than 50000hours



60° / 90° / 120° beam angles
The light-emitting surface uses PC material lens light transmittance ≥89%, light efficacy150lm per watt.



IP65 Waterproof rating
Ensure stable and excellent performance any wet, humid, moist rainy place.



Integrated radiator
Integrated precision die cast aluminum radiator, thickened material uses sealing strong convection principles, more shrink design heat dissipation fast and keep the light source for a long time.



Standard appearance




Round power supply
with bracket



Long power strip
bracket

Beam Angles





60/90 Degrees Pearl lens




120 degree flat glass lens




120 Degrees Plane lens


Sizes Chart




Installations



Standard installation




Bracket installation



Chain installation

Production Process:



Raw Material Inspection



Product Assembly



Aging Test



Integrating Sphere Testing



IES Photometric Testing



High Pressure Testing



Waterproof Testing



Package



Loading

FAQ

Q1. Are you a manufacturer?

Yes, we have our factory with over 10 years of R&D and manufacturing experience based on ISO quality management since 2011.

Q2. Do you have any MOQ limit for LED light orders?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for a large quantity of orders?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard sample lead time is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM services?

We can provide OEM and ODM products, with customized label designs on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, and Western Union, and we offer EXW, FOB, CIF, and CFR terms.

Q7. How to deal with the defective?

All of our products are produced in a strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer a 3- 5 years warranty for this product, if there is any defective during the warranty, please provide pictures or videos of the working situation of the defective lights, and we will ship the new lights to you within a few days or send it together with your next order.

USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,
Shenzhen