

Heavy Duty 200W Outdoor LED Flood Lights 250w Led Focus Light For **Soccer Field**

Basic Information

- Place of Origin:
- Shenzhen, Guangdong, China UShineray
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Payment Terms:
- Supply Ability:
- 1pcs 1 pcs in Inner box

CE, EMC, LVD, RoHS

YXR-FL-200W-F

- T/T, Paypal, Western Union
- 3000 Piece/Pieces per Week



Product Specification

- Power:
- Lamp Luminous Efficiency(lm/w):
- Item Type:
- Input Voltage(v):
- · Lamp Body Material:
- IR Rank:
- Application:
- . Light Source:
- Highlight:

200W

30000lm

Flood Lights

AC100-240V

- Aluminum Alloy+Tempered Glass
- IP66
- Building, Garden, Landscape, Square SMD 2835

200w outdoor led flood lights, outdoor led flood lights 250w, 200w flood lights outdoor



More Images



Product Description

Patent Design Heavy Duty 200W LED Focus Light Outdoor 250W Flood Light for Rugby Court Soccer Field Featuring a patented design, this 200W heavy-duty LED focus light is perfect for outdoor rugby courts and soccer fields. Combined with a 250W flood light, it delivers focused and robust illumination, making it ideal for high-impact sports environments. This setup provides optimal lighting performance and durability.

Product Features

Power capacities from 50W to 300W. Light efficacy of 150lm/W, with a 240W model offering 135lm/W. Beam angles available: 30°, 60°, 90°, 120°, T2, T3, and T4. Provides 180° adjustability for optimal lighting placement. Features IP66 protection against dust and water and IK08 impact resistance. Constructed from die-cast aluminum with a powder-coated anti-corrosion finish. Stylish ultra-thin design for a modern and sophisticated appearance.

Product Parameter

Model	YXR-FL-200W-F
Wattage	200W
Other Power Options	100W 150W 240W 300W
Lumen	30000±5%Im
Size(mm)	370*350*53
Net Weight	3.8kg
Light Efficacy	150lm/W ±5%
Beam Angle	30°/60°/90°/120°/T2/T3/T4
LED	Lumileds 2835
Color Temperature	3000K-6500K
CRI	≥70Ra
Input Voltage	AC100-277V(MOSO)
PF	>0.97
THD	15% <thd<20%< td=""></thd<20%<>
Work Temperature	-40~60°C
Junction Temp(LED)	≤80°C
Humidity	15%~90% RH, no condensing
IP Grade	IP66
IK Grade	IK08
Warranty	5 Years
Life Span	≥50000H
Finish	Sprayed with outdoor special powder
Material	Aluminum+PC+Glass
Electronic Safety Grade	Class I
Wire	Rubber cable(3*0.75mm ²) L=0.3m

Product Details



IP66 Waterproof

The lamp is IP66waterproof, dust proof temperature resistant and corrosion resistant making it resilient to various harsh conditions.




High brightness LED chips With high lumen chips to maximum the output.the whole lamp light efficiency is up to150lm/W+5%.



Qualified brand driver

High efficiency MOSO driver supply is used, constant current and voltage, with short circuit.over-voltage over-current over temperature protection functions.



Different beam angles are optional: 30°/60°190*120°1T2/T3/T4meeting the requirement of professional light distribution, restraining the dazzle light and spilling light effectively.



Angle adjustable The whole lamp can be adjusted 180°.



Glass front buckle design

Come with innovative beautiful buckles that enhance its style and ease maintenance.

FAQ

Q1. Are you a manufacturer?

Yes, we have our factory with over 10 years of R&D and manufacturing experience based on ISO quality management since 2011.

Q2. Do you have any MOQ limit for LED light orders?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for a large quantity of orders?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard sample lead time is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM services?

We can provide OEM and ODM products, with customized label designs on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, and Western Union, and we offer EXW, FOB, CIF, and CFR terms.

Q7. How to deal with the defective?

All of our products are produced in a strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer a 3- 5 years warranty for this product, if there is any defective during the warranty, please provide pictures or videos of the working situation of the defective lights, and we will ship the new lights to you within a few days or send it together with your next order.

