

Compact 200W Outdoor LED Flood Lights Slim Profile Led Stadium Lighting For Railway

Our Product Introduction

for more products please visit us on ushineraylight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Certification: CE, EMC, LVD, RoHS
- Model Number: YXR-FL-200W-H
- Minimum Order Quantity: 1 pcs
- Packaging Details: 1 pcs in Inner box
- Payment Terms: T/T, Paypal, Western Union
- Supply Ability: 3000 Piece/Pieces per Week




Product Specification

- Power: 200W
- Lamp Luminous Efficiency(lm/w): 28000lm
- Certification: CE, RoHS, EMC, LVD
- Input Voltage(v): AC100-240V
- Lamp Body Material: Aluminum Alloy+Tempered Glass
- IP Rank: IP66
- Application: Building, Square, Garden
- Light Source: LED Chips
- Highlight: 200w outdoor led flood lights, slim profile led stadium lighting, outdoor led flood lights slim profile



More Images



Product Description

Compact Design Slim Profile 200W Outdoor Floodlights LED Stadium Lighting LED for Highway Railway
Featuring a compact design and slim profile, our 200W outdoor floodlights are perfect for LED stadium lighting, highways, and railways. These floodlights provide powerful illumination with minimal bulk, making them easy to install and maintain. High efficiency and superior brightness ensure excellent visibility and safety. Built for durability, they can withstand the rigors of outdoor environments, providing reliable performance for large-scale lighting applications in sports arenas and transportation infrastructure.


Product Features

Power range: 50W-400W.
Delivers light efficacy of 140lm/W.
Available beam angles: 30°, 60°, 90°, 120°.
Lamp can be adjusted 180°.
Rated IP66 for ingress protection.
Comes with a laser sight.
Optional anti-glare cover.
Supports IES files and Dialux simulation.

Product Parameter

Model	YXR-FL-200W-H
Wattage	200W
Other Power Options	30W 50W 100W 150W 250W 300W 400W
Lumen	28000±5%lm
Size(mm)	445*392*57
Net Weight	5.4kg
Light Efficacy	140lm/W ±5%
Beam Angle	30°/60°/90°/120°
LED	Lumileds 2835
Color Temperature	3000K-6500K
Input Voltage	AC100-277V(MOSO)
CRI	≥70Ra
PF	>0.97
THD	15%<THD<20%
Work Temperature	-30~60°C
Humidity	15%~90% RH, no condensing
IK Grade	IK08
IP Grade	IP66
Warranty	5 Years
Life Span	≥50000H
Finish	Sprayed with outdoor special powder
Body Material	PC lens + Aluminum housing
Electronic Safety Grade	Class I
Wire	Rubber cable(3*0.75mm²) L=0.3m

Product Details



High tempered glass
Provides double protection and good self-clean, besides, the light transmittance is 95%.



Thickened U-shaped bracket
The gear buckle angle can be adjusted according to the need sand the fastening does not slip.




Glass front buckle design
IP66 waterproof, novel and beautiful, buckles are available in blue and black.



Integrated die-casting thickened heat dissipation ribs, quickly and evenly dissipate the heat generated by the light source, prolonging the service life.



Various beam angle
Accurate light distribution: 30°/60°/90°/120° suitable for different places.



Adopt famous brand LED chips San'an/Lumileds
High luminous efficiency 140lm/w, high CRI, ultra -low luminous decay <10% in 5years.

FAQ

Q1. Are you a manufacturer?

Yes, we have our factory with over 10 years of R&D and manufacturing experience based on ISO quality management since 2011.

Q2. Do you have any MOQ limit for LED light orders?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for a large quantity of orders?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard sample lead time is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM services?

We can provide OEM and ODM products, with customized label designs on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, and Western Union, and we offer EXW, FOB, CIF, and CFR terms.

Q7. How to deal with the defective?

All of our products are produced in a strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer a 3- 5 years warranty for this product, if there is any defective during the warranty, please provide pictures or videos of the working situation of the defective lights, and we will ship the new lights to you within a few days or send it together with your next order.

 **Shenzhen Yongxinrui Lighting Technology Co., Ltd.**



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,
Shenzhen