

Wall Mount 100W Flood Light Lamp Led Floodlight Outdoor For Fountain Building Facade

Basic Information

- Place of Origin:
- Brand Name:
- UShineray CE, RoHS

Guangdong, China

YXR-FL-100W-S

1 pcs in Inner box

3000 Piece/Pieces per Week

- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Payment Terms: T/T, Paypal, Western Union

1pcs

Supply Ability:



Product Specification

- Power:
- Lamp Luminous Efficiency(lm/w):
- Item Type:
- Lamp Body Material:
- Certification:
- Led Light Source:
- Application:
- Warranty:
- Highlight:

100W 14000lm

- 1100
 - Flood Lights
 - Aluminum Alloy+Tempered Glass
 - CE,RoHS
 - SMD2835
 - Square,Roadway, Building
- 5 Years
 - 100w flood light lamp, led floodlight outdoor for fountain, 100w led floodlight outdoor



More Images



Product Description

Wall Mount 100W Flood Light Lamp LED Floodlight Outdoor for Fountain Building Facade

Our 100W wall mount LED flood light is ideal for outdoor use on fountains and building facades. This floodlight provides powerful, directed illumination to highlight architectural features and enhance the visual appeal of outdoor spaces. With robust construction and effective light distribution, it is perfect for showcasing fountains, facades, and other key elements in outdoor environments.

Product Features

Stylish and Compact: Original design with patented appearance and molding-like cut lines. Its thick, sleek shape is both compact and attractive.

Enhanced Brightness: Improved energy efficiency with 170Im/W light output, offering exceptionally bright illumination with minimal glare, ideal for work settings.

Efficient Cooling: Comb-shaped fins and heat-resistant aluminum provide excellent heat dissipation, ensuring reliable performance.

Heat Management: Keeps the temperature around 50°C after 3 hours of use, reducing the likelihood of heat-related failures. Moisture Protection: Features a waterproof breather valve that prevents moisture entry and condensation buildup. Easy Setup: The stand's origami-like angled corners allow for quick installation without needing to detach the stand, saving

Product Parameter

time and effort.

Model	YXR-FL-100W-S		
Wattage	100W		
Other Power Options	30W 60W 150W 200W 300W 400W 500W		
Lumen	14000±5%lm		
Size(mm)	280*215*71		
Net Weight	3.45kg		
Light Efficacy	160lm/W ±5%		
Beam Angle	Beam angle: Symmetric 25° 60° 90° Asymmetric 45° (>=150W) & 120°		
LED	Lumileds 2835		
Color Temperature	3000K-6500K		
Input Voltage	AC100-277V		
CRI	≥70Ra		
PF	>0.97		
THD	15% <thd<20%< td=""></thd<20%<>		
Work Temperature	-40~60°C		
Humidity	15%~90% RH, no condensing		
IP Grade	IP66		
IK Grade	IK08		
Life Span	≥50000H		
Warranty	5 Years		
Finish	Sprayed with outdoor special powder		
Body Material	PC lens + Aluminum housing		
Electronic Safety Grade	Class I		
Wire	Rubber cable(3*0.75mm ²) L=0.3m		

Product Details



PRODUCT DETAILS



01

ANGLE ADJUSTABLE 300°

Use it without worry even on rainy days. IP66 waterproof dustproof Can be used without worry even if it rains when working outdoors.

02

LMPACT RESIST ANTFURTHER

Adopts high hardness ADC12 aluminum alloy aluminum shell with excellent heat dissipation lighting fixture has excellent impact resistance.







EXCELLENT HEAT DISSIPATION

Heat-resistant aluminum material is used, heat-resistant aluminum is luxuriously used, and heat dissipation performane is further improved with large comb-shaped fins.





Applications

Widely used in shopping malls, exhibition halls, parking lots, gyms,billboards, parks, sculptures, green lighting projects, buildings, facades, as well as indoor and outdoor lighting for public corridors, stairs and corridors.

APPLICATION SCENARIO Suitable for various scenarios



COURTYARD LIGHTING

Wide area lighting with sufficient lighting



ARCHITECTURAL LIGHTING

Wide area lighting with sufficient illumination, high display index, low light attenuation, long service life



BILLBOARD LIGHTING

Wide area lighting with sufficient lighting

FAQ

Q1. Are you a manufacturer?

Yes, we have our factory with over 10 years of R&D and manufacturing experience based on ISO quality management since 2011.

Q2. Do you have any MOQ limit for LED light orders?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for a large quantity of orders?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard sample lead time is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM services?

We can provide OEM and ODM products, with customized label designs on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, and Western Union, and we offer EXW, FOB, CIF, and CFR terms.

Q7. How to deal with the defective?

All of our products are produced in a strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer a 3- 5 years warranty for this product, if there is any defective during the warranty, please provide pictures or videos of the working situation of the defective lights, and we will ship the new lights to you within a few days or send it together with your next order.

USHINGRAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.					
0	+8613410523891	joy@ushineray.com	e ushineraylight.com		
4F, Building C.	, Junxing Optoelectroni	ic Industrial Park, Fuyuan 2nd Shenzhen	I Road, FuHai Street, Bao'an District,		