

Led Balloon Lamp 600W Glare Free Mobile Lighting For Construction Mining

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Payment Terms:
- CE ROHS FCC ETL KC YXR-BL-600W-A

Guangdong, China

- 1pcs
 - T/T, Paypal, Western Union

UShineray



Product Specification

- Beam Angle(°):
- Lumen:
- Support Dimmer:

• Product Name:

• Application:


96000lm

360° Omni Illumination

- Construction, Roadwork, Disaster & Relief, Fire & Rescue
- Tripod Max Height:
- Material:
- Control:

• Power:

- Balloon Diffuser:
- Balloon Size:
- IP Rating:
- Highlight:



Yellow/Blue/Black Top-Reflective Diffuser Or All White

mobile led work lamp, mobile led balloon lamp,

D900*H710 Or Customized

IP65



More Images



Our Product Introduction

Product Description

LED Balloon Lamp 600W Glare Free Mobile Lighting for Construction Mining Experience Glare-Free illumination with our 600W LED Balloon Lamp, designed for mobile lighting in construction and mining. This light tower provides bright, uniform light without causing glare, ensuring optimal visibility and safety in demanding work environments.

Product Features

Filter design: Blocks mosquitoes, dust, and debris, ensuring superior performance and longevity. 360-degree illumination: Provides wide area coverage with all-around lighting. Soft lighting: Non-glare, diffused light; Lightweight and portable. Energy-efficient: ≥160lm/W with low power consumption. Adjustable brightness: Dimmable via knob equipment or remote control; Includes an on-off switch.

Quick setup: Foldable tripod and cover for easy assembly.

Balloon material: IP65 Waterproof, translucent, anti-UV, flame-retardant outdoor gauze.

Product Parameter

Item No.	YXR-BL-600W-A		
Power	600W		
Input Voltage	AC90-305V		
Lumen(Im)	96000		
Weight(kg)	19.1		
Inflated Dimension	D900*H710		
Light Efficacy	160±5% lm/W		
ССТ	5000K or 3000K		
CRI	≥70Ra		
LED Chips	Lumileds 2835		
LED Driver	Inventronics		
PF	≥0.95		
Dimming Control Mode	Knob switch or Remote control		
Remote Control Distance	nce 60m		
Life Span	≥50000 hrs		
IP Grade	IP65		
Cable Length(m)	10		
Tripod Height(min-max)	1.62~3.8m		
Tripod Collapsed Height	lapsed Height 1.8m		
Tripod Footprints 1.4m			
Tripod Weight	11.5kg		

Product Details





INDUSTRY-LEADING QUALITY AND PATENTED DESIGN

Aluminum Construction with powder-coated panels on all components.

0

Modular Panels with waterproof lenses for enhanced protection.

 \bigcirc



(

Superior IP65 water and dust resistance, UV resistance, and flame

retardant for industrial use.

Built-in Stainless Steel Cage pro-

tective cover.



Velcro Straps for easy removal of balloon diffuser for cleaning and replacement.





Filtration device

Prevents mosquitoes, insects, dust, and other debris from entering the lamp to ensure optimal performance and a longer lifespan.




Self-Inflating Balloon

Made of tear-resistant ripstop fabric, offers 360-degree free lighting and inflates with one switch.



Balloon material: waterproof, sandproof, translucent, UV resistant, flame retardant.






Filtration device

Prevents mosquitoes, insects, dust, and other debris from entering the lamp to ensure optimal performance and a longer lifespan.





Applications

Frequently used for Road Construction and Maintenance, Forensic Lighting, Fire & Rescue, Parties and Special Events, Construction, Disaster Relief, Search and Rescue, Flagger Stations, Mining, Temporary Lighting, Law Enforcement Support, Landscaping, Emergency Repairs, Camping, Outdoor Activities, Farming and Agriculture, Film Shooting.



FAQ

Q1. Are you a manufacturer?

Yes, we have our factory with over 10 years of R&D and manufacturing experience based on ISO quality management since 2011.

Q2. Do you have any MOQ limit for LED light orders?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for a large quantity of orders?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard sample lead time is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM services?

We can provide OEM and ODM products, with customized label designs on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, and Western Union, and we offer EXW, FOB, CIF, and CFR terms.

Q7. How to deal with the defective?

All of our products are produced in a strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer a 3- 5 years warranty for this product, if there is any defective during the warranty, please provide pictures or videos of the working situation of the defective lights, and we will ship the new lights to you within a few days or send it together with your next order.

USHINGRAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.				
G	+8613410523891	joy@ushineray.com	e ushineraylight.com	
4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen				