# AC240V Balloon LED Light 800 Watt Light Tower Generator Industrial

#### **Basic Information**

USHİNERAY

• Place of Origin: Guangdong, China

• Brand Name: UShineray

Certification: CE ROHS FCC ETL KC
 Model Number: YXR-BL-800W-A

• Minimum Order Quantity: 1pcs

Payment Terms: T/T, Paypal, Western Union



#### **Product Specification**

• Lumen: 128000lm

Dimmable: 4-Level Dimming

Product Name: 800W LED Balloon Light Tower

Application: Industrial Construction Mining Lighting

• Power: 800W

• Tripod Max Height: 3.8m, 4.6m Or Customized

• Material: Aluminum + S.steel + PC + Fabric

Control: Switch On-off, Knob Switch For Dimming,

Remote Control

Balloon Diffuser: Yellow/Blue/Black Top-Reflective Diffuser Or

All White

Balloon Size: D900\*H710 Or Customized
 Highlight: ac240v balloon led light,

balloon led light 800 watt, ac240v led balloon light



### More Images



#### **Product Description**

AC240V Balloon Light 800W Light Tower and Generator for Industrial Use

The AC240V Balloon Light, with an 800W Light Tower and Generator, is designed for industrial environments. This powerful light tower delivers bright illumination and includes a generator for consistent power supply, making it a reliable solution for various industrial applications.

#### **Product Features**

Protective filter: Keeps mosquitoes, dust, and debris out, ensuring optimal performance and durability.

360-degree lighting: Provides wide area coverage with all-around illumination.

Non-glare light: Soft and diffused; Lightweight and portable. Energy-efficient: ≥160lm/W with low power consumption.

Dimmable feature: Adjustable brightness via knob adjuster or remote control; Includes an on-off switch.

Quick setup: Foldable tripod and cover for easy assembly.

Weatherproof balloon: Waterproof, UV resistant, and fire retardant with a lifespan of over 50,000 hours.


#### **Product Parameter**

Item No.	YXR-BL-800W-A
Power	800W
Input Voltage	AC90-305V
Lumen(Im)	128000
Weight(kg)	19.5
Inflated Dimension	D900*H710
Light Efficacy	160±5% lm/W
CCT	5000K or 3000K
CRI	≥70Ra
LED Chips	Lumileds 2835
LED Driver	Inventronics
PF	≥0.95
Dimming Control Mode	Knob switch or Remote control
Remote Control Distance	60m
Life Span	≥50000 hrs
IP Grade	IP65
Cable Length(m)	10
Tripod Height(min-max)	1.62~3.8m
Tripod Collapsed Height	1.8m
Tripod Footprints	1.4m
Tripod Weight	11.5kg

#### **Product Details**



Inflatable LED Balloon Light
150W~1400W, wide area coverage with 360°illumination
High Efficiency 160Im per watt
NO stroboscope; No Glare; Easy Set; Vehicle-used; Dimmable; Rapid; Heat-dissipation; Diffused Light



Example: 1000W Illumination; Lumen up to 160000m; Illumination range up to 6400 m (Light on the tripod at 4.8m)




Filtration device
Prevents mosquitoes, insects, dust, and other debris from entering the lamp to ensure optimal performance and a longer lifespan. Effectively filter out dust and insects




 $\label{eq:Dimmable: Pemote control distance up to 60m, as well as with Brightness adjustment knob$ 



Self-Inflating Balloon
Made of tear-resistant rip-stop fabric, offers 360-degree free lighting and inflates with one switch.



Coated rip-stop nylon material; 100% nylon composition; Seams stitched in a zigzag pattern; Durable water repellent (DWR),and additional UV and fire-resistant(FR) coatings



Brand Lumileds High Brightness LED Chips Low decay, longer span life.



World famous brand Inventronics or Moso LED driver; Good stability, high efficiency, flicker free, anti-surge.



Ventilation holes Facilitate efficient heat dissipation preventing overheating, extend the lifespan, enhance performance, ensure safety.



IP65 waterproof, sand proof, UV resistant, flame retardant.

#### **Applications**

Commonly utilized in Search and Rescue, Forensic Lighting, Mining, Temporary Lighting, Construction, Fire & Rescue, Outdoor Activities, Emergency Repairs, Road Construction and Maintenance, Flagger Stations, Farming and Agriculture, Disaster Relief, Landscaping, Film Shooting, Law Enforcement Support, Camping, Parties and Special Events.



## PRODUCTION SITE



















USHİNERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891





4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen