# Shenzhen Yongxinrui Lighting Technology Co., Ltd. ushineraylight.com

## Versatile Portable Work Light 700Watt Balloon LED Light Tower For Road Maintenance

### **Basic Information**

• Place of Origin: Guangdong, China

Brand Name: UShineray

Certification: EMC, RoHS, CE, FCC, LVD, ETL

Model Number: YXR-BL-700W-A

• Minimum Order Quantity: 1pcs

Payment Terms: T/T, Paypal, Western Union



### **Product Specification**

Beam Angle(°):
 Omni Illumination

• Lumen: 112000lm

• Dimmable: 4-Level Dimming

Product Name: 700W LED Balloon Work Light

Application: Roadwork Lighting, Construction Illumination

• Power: 700W

• Tripod Max Height: 3.8m, 4.6m Or Customized

• Material: Aluminum + S.steel + PC + Fabric

Balloon Diffuser: Yellow/Blue/Black Top-Reflective Diffuser Or

All White

• Balloon Size: D900\*H710 Or Customized

Input Voltage: 90~305VacPower Range: 60W~1400W

Waterproof: IP65Remote Control Distance: 60m



### More Images



### **Product Description**

Versatile Portable Work Light 700W Balloon Light Tower for Road Maintenance

Our Versatile Portable Work Light, featuring a 700W Balloon Light Tower, is ideal for road maintenance. This light tower offers flexible and powerful illumination, supporting effective roadwork and maintenance tasks with ease.

### **Product Features**

Advanced filter: Prevents entry of mosquitoes, dust, and debris for optimal performance and longevity.

**360-degree lighting**: Offers comprehensive illumination.

Soft, non-glare light: Diffused and lightweight for easy portability.

High efficiency: ≥160lm/W with minimal power consumption.

Adjustable brightness: Dimmable via adjusting knob on the lamp or remote control; Includes on-off switch.

Simple setup: Foldable tripod and cover for quick assembly.

Balloon material: Coated rip-stop nylon material; 100% nylon composition; Seams stitched in a zigzag pattern;

Durable water repellent (DWR), and additional UV and fire-resistant(FR) coatings

### **Product Parameter**

Item No.	YXR-BL-700W-A
Power	700W
Input Voltage	AC90-305V
Lumen(Im)	112000
Weight(kg)	19.3
Inflated Dimension	D900*H710
Light Efficacy	160±5% lm/W
CCT	5000K or 3000K
CRI	≥70Ra
LED Chips	Lumileds 2835
LED Driver	Inventronics
PF	≥0.95
Dimming Control Mode	Knob switch or Remote control
Remote Control Distance	60m
Life Span	≥50000 hrs
IP Grade	IP65
Cable Length(m)	10
Tripod Height(min-max)	1.62~3.8m
Tripod Collapsed Height	1.8m
Tripod Footprints	1.4m
Tripod Weight	11.5kg

#### **Product Details**















### **Self-Inflating Balloon**

Made of tear-resistant ripstop fabric, offers 360-degree free lighting and inflates with one switch.









### Brand Philips High Brightness LED Chips

low decay, longer span life.








### Ventilation holes

Facilitate efficient heat dissipation, preventing overheating, extend the lifespan, enhance performance, ensure safety.



### **Applications**

Frequently used for Road Construction and Maintenance, Forensic Lighting, Fire & Rescue, Parties and Special Events, Construction, Disaster Relief, Search and Rescue, Flagger Stations, Mining, Temporary Lighting, Law Enforcement Support, Landscaping, Emergency Repairs, Camping, Outdoor Activities, Farming and Agriculture, Film Shooting.

### Long service life of balloon lights

LED balloon lighthouses have a service life of over 50000 hours, with stable and reliable performance, which can save money and reduce environmental impact. Compared to traditional halogen or incandescent bulbs, LED technology is more wear-resistant due to its efficient operation and low heat generation, ensuring long-term continuous operation without significant performance degradation.



### PRODUCTION SITE









### MANUFACTURING **CAPACITY**









USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891





4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen