

Trolley Cart Tripod Lights 800W Led Balloon Lamp For Road Safty

Our Product Introduction

for more products please visit us on ushineraylight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Certification: ETL, FCC, EMC, RoHS, CE, LVD
- Model Number: YXR-BL-800W-A
- Minimum Order Quantity: 1pcs
- Payment Terms: T/T, Paypal, Western Union



Product Specification

- Beam Angle(°): Omni Illumination
- Lumen: 144000lm
- Dimmable: 4-Level Dimming
- Product Name: 800W LED Balloon Light Tower
- Application: Road Construction And Maintenance, Search And Rescue Lighting
- Power: 800W
- Tripod Max Height: 3.8m, 4.6m Or Customized
- Material: Aluminum + S.steel + PC + Fabric
- Balloon Diffuser: Yellow/Blue/Black Top-Reflective Diffuser Or All White
- Balloon Size: D1100*H860 Or Customized
- Input Voltage: 90~305Vac
- Power Range: 150W 200W 320W 500W 600W 700W 1000W 1200W 1400W
- Waterproof: IP65 Waterproof Dustproof



More Images



Product Description

Trolley Cart Tripod Lights 800W Balloon Light Tower for Road Safety

The Trolley Cart Tripod Lights, with an 800W Balloon Light Tower, are designed for road safety. This light tower provides bright and reliable illumination, enhancing visibility and safety on roadways during maintenance and construction.

Product Features

Efficient filter: Blocks mosquitoes, dust, and debris for optimal performance and durability.

360-degree illumination: Covers large areas with comprehensive lighting.

Non-glare light: Soft, diffused, and lightweight for portability.

Energy-efficient: $\geq 160\text{lm/W}$ with low power consumption.

Adjustable brightness: Dimmable via knob adjuster or remote control; Includes on-off switch.

Easy setup: Foldable tripod and cover for quick assembly.

Durable balloon design: Waterproof, UV resistant, and fire retardant with over 50,000 hours lifespan.

Product Parameter

| | |
|-------------------------|-------------------------------|
| Item No. | YXR-BL-800W-A |
| Power | 800W |
| Input Voltage | AC90-305V |
| Lumen(lm) | 128000 |
| Weight(kg) | 19.5 |
| Inflated Dimension | D900*H710 |
| Light Efficacy | 160 \pm 5% lm/W |
| CCT | 5000K or 3000K |
| CRI | $\geq 70\text{Ra}$ |
| LED Chips | Lumileds 2835 |
| LED Driver | Inventronics |
| PF | ≥ 0.95 |
| Dimming Control Mode | Knob switch or Remote control |
| Remote Control Distance | 60m |
| Life Span | ≥ 50000 hrs |
| IP Grade | IP65 |
| Cable Length(m) | 10 |
| Tripod Height(min-max) | 1.62~3.8m |
| Tripod Collapsed Height | 1.8m |
| Tripod Footprints | 1.4m |
| Tripod Weight | 11.5kg |

Product Details

Filtration device

Prevents mosquitoes, insects, dust, and other debris from entering the lamp to ensure optimal performance and a longer lifespan.





Remote control
distance up to 60m



Dimmable



Brightness adjustment knob



INDUSTRY-LEADING QUALITY AND PATENTED DESIGN



Aluminum Construction with powder-coated panels on all components.



Modular Panels with waterproof lenses for enhanced protection.



Built-in Stainless Steel Cage protective cover.



Superior IP65 water and dust resistance, UV resistance, and flame retardant for industrial use.



Velcro Straps for easy removal of balloon diffuser for cleaning and replacement.

Balloon material: waterproof, sandproof, translucent, UV resistant, flame retardant.



SELF-INFLATING



Waterproof



Dustproof



Anti-UV



Flame retardant



IP65



1000W Illumination



Lumen up to **160000**lm
Illumination range up to 6400 m²



Equipped with a brightness
adjustment knob




Polar Diagram
(Light on tripod
at **4.8m**)

Self-Inflating Balloon

Made of tear-resistant ripstop fabric,
offers 360-degree free lighting and inflates
with one switch.





Coated
rip-stop nylon material

- 100% nylon composition
- Seams stitched in a zigzag pattern
- Durable water repellent (DWR), and additional UV and fire-resistant (FR) coatings



No.1

Brand Philips High Brightness LED Chips

low decay, longer span life.

No.2

World famous brand Inventronics or Moso LED driver

Good stability, high efficiency, flicker free, anti-surge.



No.3

Ventilation holes

Facilitate efficient heat dissipation, preventing overheating, extend the lifespan, enhance performance, ensure safety.

Balloon Light Tripods

Multiple Options



Applications

Frequently used for Road Construction and Maintenance, Forensic Lighting, Fire & Rescue, Parties and Special Events, Construction, Disaster Relief, Search and Rescue, Flagger Stations, Mining, Temporary Lighting, Law Enforcement Support, Landscaping, Emergency Repairs, Camping, Outdoor Activities, Farming and Agriculture, Film Shooting.



PRODUCTION SITE



FAQ

Q1. Are you a manufacturer?

Yes, we have our factory with over 10 years of R&D and manufacturing experience based on ISO quality management since 2011.

Q2. Do you have any MOQ limit for LED light orders?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for a large quantity of orders?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard sample lead time is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

Q5. Can you provide OEM and ODM services?

We can provide OEM and ODM products, with customized label designs on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, and Western Union, and we offer EXW, FOB, CIF, and CFR terms.

Q7. How to deal with the defective?

All of our products are produced in a strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer a 3- 5 years warranty for this product, if there is any defective during the warranty, please provide pictures or videos of the working situation of the defective lights, and we will ship the new lights to you within a few days or send it together with your next order.

USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.

+8613410523891

joy@ushineray.com

ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen

