

## Inflatable construction lights 320W LED balloon light tower for RV Travel

Our Product Introduction

for more products please visit us on [ushineraylight.com](http://ushineraylight.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Certification: CE ROHS FCC ETL KC
- Model Number: YXR-BL-320W-A
- Minimum Order Quantity: 1pcs
- Payment Terms: T/T, Paypal, Western Union



### Product Specification

- Features: Dimmable
- Power: 320W
- Input Voltage: AC90-305V
- Color Temperature(CCT): 3000-6000K Optional
- Beam Angle(°): Omni Illumination
- Lumen: 51200lm
- Support Dimmer: Yes
- Product Name: LED Balloon Lighting Tower
- Application: RV Travel Lighting, Outdoor Events, Exhibitions Lighting, Temporary Lighting
- Tripod Max Height: 2.05m
- Material: Aluminum + S.steel + PC + Fabric
- Control: Switch On-off, Knob Switch For Dimming, Remote Control
- Balloon Diffuser: Yellow/Blue/Black Top-Reflective Diffuser Or All White



### More Images



## Product Description

### Inflatable Construction Lights 320W Balloon Light Tower for RV Travel

Our Inflatable Construction Lights, with a 320W Balloon Light Tower, are ideal for RV travel. This portable and easy-to-set-up light tower provides bright illumination, enhancing visibility and comfort during RV trips and outdoor stays.

### Product Features

**Efficient filter:** Blocks mosquitoes, dust, and debris for optimal performance and durability.

**360-degree illumination:** Covers large areas with comprehensive lighting.

**Non-glare light:** Soft, diffused, and lightweight for portability.

**Energy-efficient:**  $\geq 160\text{lm/W}$  with low power consumption.

**Adjustable brightness:** Dimmable via adjustment knob or remote control; Includes on-off switch.

**Easy setup:** Foldable tripod and cover for quick assembly.

**Durable balloon design:** Waterproof, UV resistant, and fire retardant with over 50,000 hours lifespan.

### Product Parameter

Item No.	YXR-BL-320W-A
Power	320W
Input Voltage	AC90-305V
Lumen(lm)	51200
Weight(kg)	9
Inflated Dimension(mm)	D600*H410
Light Efficacy	$160\pm 5\%$ lm/W
CCT	5000K or 3000K
CRI	$\geq 70\text{Ra}$
LED Chips	Lumileds 2835
LED Driver	Moso
PF	$\geq 0.95$
Dimming Control Mode	Knob switch or Remote control
Remote Control Distance	60m
Life Span	$\geq 50000$ hrs
IP Grade	IP65
Cable Length(m)	5
Tripod Height(min-max)	1.21~2.05m
Tripod Collapsed Height	1.04m
Tripod Footprints	1.2m
Tripod Weight	4.1kg

### Product Details



### INDUSTRY-LEADING QUALITY AND PATENTED DESIGN

- 

Aluminum Construction with powder-coated panels on all components.
- 

Modular Panels with waterproof lenses for enhanced protection.
- 


Built-in Stainless Steel Cage protective cover.
- 

Superior IP65 water and dust resistance, UV resistance, and flame retardant for industrial use.
- 

Velcro Straps for easy removal of balloon diffuser for cleaning and replacement.

## Self-Inflating Balloon

Made of tear-resistant ripstop fabric, offers 360-degree free lighting and inflates with one switch.









No.3

### Ventilation holes

Facilitate efficient heat dissipation, preventing overheating, extend the lifespan, enhance performance, ensure safety.

## Filtration device

Prevents mosquitoes, insects, dust, and other debris from entering the lamp to ensure optimal performance and a longer lifespan.




# 1000W Illumination



Lumen up to **160000lm**  
Illumination range up to 6400 m<sup>2</sup>



Equipped with a brightness  
adjustment knob



## Applications

Great for RV Travel, Law Enforcement Support, Construction, Parties and Special Events, Road Construction and Maintenance, Temporary Lighting, Search and Rescue, Disaster Relief, Flagger Stations, Camping, Fire & Rescue, Outdoor Activities, Film Shooting, Emergency Repairs, Farming and Agriculture, Landscaping, Mining, Forensic Lighting.



# PRODUCTION SITE



## FAQ

### Q1. Are you a manufacturer?

Yes, we have our factory with over 10 years of R&D and manufacturing experience based on ISO quality management since 2011.

### Q2. Do you have any MOQ limit for LED light orders?

No MOQ, 1pc for sample checking is available.

### Q3. Can I get a lower price for a large quantity of orders?

Yes, please check with our sales staff for the details.

### Q4. How about the lead time of ordering?

Our standard sample lead time is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

### Q5. Can you provide OEM and ODM services?

We can provide OEM and ODM products, with customized label designs on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

### Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, and Western Union, and we offer EXW, FOB, CIF, and CFR terms.

### Q7. How to deal with the defective?

All of our products are produced in a strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer a 3- 5 years warranty for this product, if there is any defective during the warranty, please provide pictures or videos of the working situation of the defective lights, and we will ship the new lights to you within a few days or send it together with your next order.

**USHINERAY** Shenzhen Yongxinrui Lighting Technology Co., Ltd.

+8613410523891

joy@ushineray.com

ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen



