

## 500W-1400W LED Balloon Light IP65 50000Hrs 360° Omni Coverage


### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-BL-600W-A
- Minimum Order Quantity: 5




### Product Specification

- Color Temperature: 5000K
- IP Rating: IP65
- Beam Angle: 360°
- Input Voltage: AC 90-305V
- Luminous Efficiency: 160 Lm/w
- Luminous Flux: 96000lm
- Color Rendering Index: 70
- Power: 500W/600W/800W/1000W/1400W
- LED Chip: Lumileds 2835
- Size: D90\*H60 Cm
- Working Lifetime: 50000 Hours
- Power Factor: >0.97
- Frequency: 50~60Hz
- Weight: 17.5-22 Kg
- Working Temperature: -35~55



### More Images



Product Description

36W Outdoor LED Flood Light with Adjustable Mast Height

Key Features

- 360° omni-directional coverage with adjustable mast height
- High-efficiency Lumileds 2835 LED chips (160lm/W)
- IP65 waterproof rating for outdoor durability
- Wide voltage input (AC 90-305V) for versatile applications
- 50,000+ hour lifespan with 5-year warranty
- Cold white light (5000K) with 70+ CRI
- Available in multiple power options (500W-1400W)

Technical Specifications

Attribute	Value
Color Temperature (CCT)	5000K (Cold White)
IP Rating	IP65
Beam Angle	360° Omni Coverage
Input Voltage	AC 90-305V
Luminous Efficiency	160 lm/W
Warranty	5-Year
Color Rendering Index (Ra)	70+
Working Lifetime	50,000 hours

Power Options

Model	500W-A	800W-A	1000W-A	1400W-A
Power	500W	800W	1000W	1400W
Lumen Output	80,000lm	128,000lm	160,000lm	224,000lm
Dimensions (cm)	D70*H60	D90*H60	D110*H85	-
Weight (kg)	17.5	18.8	20	22

Product Images





## INDUSTRY-LEADING QUALITY AND PATENTED DESIGN



Aluminum Construction with powder-coated panels on all components.



Modular Panels with waterproof lenses for enhanced protection.



Built-in Stainless Steel Cage protective cover.



Superior IP65 water and dust resistance, UV resistance, and flame retardant for industrial use.



Velcro Straps for easy removal of balloon diffuser for cleaning and replacement.

## Filtration device

Prevents mosquitoes, insects, dust, and other debris from entering the lamp to ensure optimal performance and a longer lifespan.



### Applications

- Disaster relief camps and emergency lighting
- Construction sites and temporary work areas
- Outdoor events and security lighting
- Industrial facilities and warehouse lighting
- Parking lots and perimeter lighting

### Frequently Asked Questions

#### Are you a manufacturer?

Yes, we have our own factory with over 10 years of R&D and manufacturing experience based on ISO quality management since 2011.

#### Do you have any MOQ limit for LED light orders?

No MOQ, 1pc for sample checking is available.

#### Can I get a lower price for large quantity orders?

Yes, please check with our sales staff for the details.

**What are your lead times?**

Standard lead time for samples is 3-5 days, and normal bulk order lead time is 7-10 days. For large bulk orders, please check with our sales team.

**Do you offer OEM/ODM services?**

Yes, we provide OEM and ODM services including customized packaging, laser printed logos, and product design according to your specifications.

**What is your warranty policy?**

We offer 3-5 years warranty for this product. If any defects occur during warranty, please provide documentation and we will ship replacements promptly.

**USHINERAY** Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,  
Shenzhen