

1000W LED Balloon Lighting Tower 165000LM IP65 5000K

Our Product Introduction

for more products please visit us on ushineraylight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-BL-1000W-A
- Minimum Order Quantity: 2
- Price: \$915.98-1,309.85



Product Specification

- Color Temperature: 5000K
- IP Rating: IP65
- Beam Angle: 360°
- Input Voltage: AC90-305V
- Luminous Efficiency: 160 Lm/w
- Luminous Flux: 165000 Lm
- Color Rendering Index: 70 Ra
- Power Range: 1000W-1400W
- Working Hours: 50000
- Tripod Height: 2m
- Material Composition: Aluminum + Steel + PC + Fabric
- Inflated Dimension: D110*H85
- LED Chips: Lumileds 2835
- LED Driver: MOSO/Iventronics
- Light Source: LED



More Images



Factory Recommend Outdoor Professional Grade Adjustable Mast Height Soft Glare-Free Light Tower Balloon Lights

Product Attributes


Attribute	Value
Color Temperature (CCT)	5000K
IP Rating	IP65
Beam Angle	360°
Input Voltage	AC90-305V
Lamp Luminous Efficiency	160 lm/w
Lamp Luminous Flux	165000 lm
Warranty	5-Year
Color Rendering Index (Ra)	70
Emitting Color	White
Power Supply	AC
Light Source	LED
Support Dimmer	NO
Color Options	White, Customized Color
Working Hours	50,000
Power Range	1000W-1400W
Tripod Max Height	2m
Material	Aluminum + Steel + PC + Fabric

Key Features

- Power dimmable foldable tripod and cover
- Lightweight and portable design for easy transport
- Quick setup with minimal assembly required
- Glare-free diffused light with 360° illumination
- On-off button switch for simple operation
- High efficiency ≥160lm/W with low power consumption
- Weather-resistant construction for outdoor durability
- Long lifespan exceeding 50,000 hours
- Low maintenance requirements
- Waterproof, translucent, anti-UV, flame-retardant balloon material
- Built-in air filter prevents insects and dust entry

Product Images





Technical Specifications

Model	Power	Lumen (LM)	Inflated Dimension	CCT	CRI	LED Chips	LED Driver	Input Voltage	IP
150W-A	150W	24000 lm	D60*H40	5000K	≥70Ra	Lumileds 2835	MOSO	AC100-277V	IP65
200W-A	200W	32000 lm	D60*H40						
320W-A	320W	51200 lm							
500W-A	500W	80000 lm	D70*H60				Iventronics	AC90-305V	
1000W-A	1000W	165000 lm	D110*H85						

Detail Images





Filtration device

Prevents mosquitoes, insects, dust, and other debris from entering the lamp to ensure optimal performance and a longer lifespan.



Packing & Shipping





Package Included



500W~1400W



Top-reflective
(Orange) Diffuser



Tripod Adapter
Optional



Carry case with
trolley for Lamp

Optional



All White Diffuser



Blue Diffuser



Black Diffuser



Tripod




Tripod Packaging



Remote Control

Applications



Our 800W portable tripod 360° illumination balloon lights are widely used for:

- Construction sites and mining operations
- Roadworks and infrastructure projects
- Temporary work lighting solutions
- Exhibitions and trade shows
- Outdoor events, parties, and weddings
- Emergency and rescue operations

Frequently Asked Questions

Are you a manufacturer?

Yes, we have our own factory with over 10 years R&D and manufacturing experience based on ISO quality management since 2011.

Do you have any MOQ limit for LED light orders?

No MOQ - 1 piece for sample checking is available.

Can I get a lower price for large quantity orders?

Yes, please check with our sales staff for quantity discount details.

How about the lead time for orders?

Standard lead time for samples is 3-5 days, normal orders 7-10 days. For large orders, please consult our sales team.

Can you provide OEM and ODM services?

Yes, we offer OEM/ODM services including customized product labeling, packaging design, and laser printed logos on fixtures.

USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,
Shenzhen