

## 1000W LED Balloon Lighting Tower 165000LM IP65 for Emergency Rescue

Our Product Introduction

for more products please visit us on [ushineraylight.com](http://ushineraylight.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-BL-1000W-A
- Minimum Order Quantity: 2
- Price: \$915.98-1,309.85



### Product Specification

- Color Temperature: 5000K
- IP Rating: IP65
- Beam Angle: 360°
- Input Voltage: AC90-305V
- Luminous Efficiency: 160 Lm/w
- Luminous Flux: 165000 Lm
- Color Rendering Index: 70 Ra
- Power Range: 1000W-1400W
- Working Hours: 50000
- Tripod Height: 2m
- Material Composition: Aluminum + Steel + PC + Fabric
- Inflated Dimension: D110\*H85
- LED Chips: Lumileds 2835
- LED Driver: MOSO/Iventronics
- Light Source: LED



### More Images



## Product Description


### Factory Recommend High Brightness Outdoor Tower Balloon Lights Portable Light Tower Led Work Light for Emergency Rescue

#### Product Attributes

Attribute	Value
Color Temperature(CCT)	5000K
IP Rating	IP65
Beam Angle(°)	360°
Input Voltage(V)	AC90-305V
Lamp Luminous Efficiency(lm/w)	160
Lamp Luminous Flux(lm)	165000lm
Warranty(Year)	5-Year
Color Rendering Index(Ra)	70
Emitting Color	White
Power Supply	AC
Light Source	LED
Support Dimmer	NO
Color	White, Customized Color
Working Hours	50000
Product name	Balloon Lighting Tower
Keyword	LED Balloon Lighting towers
Power	1000W-1400W
Usage	Emergency Rescue
Luminous flux (LM)	160LM/W
Tripod Max Height	2m
MOQ	1 Set
Material	Aluminum + Steel + PC + Fabric
Function	Outdoor Mobile Lighting

#### Product Description





Key Features

- Power Dimmable Foldable tripod and cover
- Lightweight and portable design
- Easy quick setup
- Glare-free diffused light with 360° illumination
- Dimmable with on-off button switch
- High Efficiency  $\geq 160\text{lm/W}$  with low power consumption
- Weather resistant with IP65 rating
- Long life span > 50,000 hours
- Low maintenance requirements
- Balloon material: Waterproof, translucent, anti-UV, flame-retardant outdoor gauze
- Air Filter: Prevents mosquitoes, insects, and dust from entering

Specifications

Model	Power	Lumen(LM)	Inflated Dimension	CCT	CRI	LED Chips	LED Driver	Input Voltage	IP
150W-A	150W	24000lm	D60*H40	5000K	$\geq 70\text{Ra}$	Lumileds 2835	MOSO	AC100-277V	IP65
200W-A	200W	32000lm	D60*H40						
320W-A	320W	51200lm							
500W-A	500W	80000lm	D70*H60				Iventronics	AC90-305V	
600W-A	600W	96000lm	D90*H60						
700W-A	700W	112000lm							
800W-A	800W	128000lm							
1000W-A	1000W	165000lm	D110*H85						
1200W-A	1200W	192000lm							

1400W-A	1400W	231000lm							
---------	-------	----------	--	--	--	--	--	--	--

Product Images







**INDUSTRY-LEADING QUALITY  
AND PATENTED DESIGN**

-  Aluminum Construction with powder-coated panels on all components.
-  Modular Panels with waterproof lenses for enhanced protection.
-  Built-in Stainless Steel Cage protective cover.
-  Superior IP65 water and dust resistance, UV resistance, and flame retardant for industrial use.
-  Velcro Straps for easy removal of balloon diffuser for cleaning and replacement.

## Filtration device

Prevents mosquitoes, insects, dust, and other debris from entering the lamp to ensure optimal performance and a longer lifespan.





## Packing Information

---







## Package Included



500W~1400W



Top-reflective  
(Orange) Diffuser



Tripod Adapter  
Optional



Carry case with  
trolley for Lamp

## Optional



All White Diffuser



Blue Diffuser



Black Diffuser



Tripod



Tripod Packaging



Remote Control

## Applications



800W portable tripod 360 degree illumination balloon light widely used for:

- Construction sites
- Mining sites
- Roadworks
- Temporary work lighting
- Exhibitions and events
- Parties and weddings
- Emergency rescue operations

## Frequently Asked Questions

### Q1. Are you a manufacturer?

Yes, we have our own factory with over 10 years R&D and manufacture experience base on ISO quality management since 2011.

### Q2. Do you have any MOQ limit for led light order?

No MOQ, 1pc for sample checking is available.

### Q3. Can I get a lower price for large quantity order?

Yes, please check with our sales staff for the details.

### Q4. How about the lead time of ordering?

Our standard lead time for sample is 3-5 days, and normal order lead time is 7-10 days. For the large order lead time, please also check with our sales team.

### Q5. Can you provide OEM and ODM service?

We can provide OEM and ODM product, with customized label design on the product and carton box. Or customized carton box, and laser print logo on the lamp fixture.

### Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, Western Union, and we offer EXW terms.

### Q7. How to deal with the defective?

All of our product are produced in strict quality control system, the defective rate is less than 0.2% according to our shipment records. We offer 3-5 years warranty for this product, if there is any defective during the warranty, please provide the picture or video for the working situation of the defective lights, we will ship the new lights to you within a few days or send it together with your next order.

 **Shenzhen Yongxinrui Lighting Technology Co., Ltd.**



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,  
Shenzhen