USHİNERAY

Portable LED Balloon Light 320W IP65 Dimmable for Outdoor Construction

Basic Information

Place of Origin: Guangdong, ChinaBrand Name: UShineray

Model Number: YXR-BL-320W-A

Minimum Order Quantity: 2Price: \$290.70



Product Specification

5000K . Color Temperature: • IP Rating: IP65 360° . Beam Angle: • Input Voltage: AC90-305V . Luminous Efficiency: 160 Lm/w • Luminous Flux: 51200 Lm 70 Ra • Color Rendering Index: 60-1400W • Power Range:

• Material: Aluminum + S.steel + PC + Fabric

50000

1.9/3.8m

LED Chips: Lumileds 2835
Work Temperature: -20~60
Lamp Weight: 4.5-9.2 Kg

• Inflated Dimension: D40*H30, D60*H40



More Images

Working Hours:Tripod Height:









Adjustable Height LED Balloon Lighting Tower

Key Features

 360° wide area illumination with glare-free, diffused lighting

High efficiency (\geq 160lm/W) with low power consumption

IP65 water-resistant rating for outdoor durability

Dimmable functionality (≤320W) with on-off button switch

Foldable tripod and cover for easy quick setup

Weather resistant design with waterproof, UV resistant and fire retardant balloon

Long lifespan exceeding 50,000 hours


Technical Specifications

Attribute	Value
Color Temperature (CCT)	5000K
IP Rating	IP65
Beam Angle	360°
Input Voltage	AC90-305V
Luminous Efficiency	160 lm/w
Luminous Flux	51200 lm
Warranty	5-Year
Color Rendering Index (Ra)	70
Power Range	60-1400W
Tripod Max Height	1.9/3.8m
Material	Aluminum + Stainless Steel + PC + Fabric

Model Specifications

Model No.	YXR-BL 60W-A	YXR-BL 100W-A	YXR-BL 120W-A	YXR-BL 150W-A	YXR-BL 200W-A	YXR-BL 320W-A
Power	60W	100W	120W	150W	200W	320W
Lumen (Im)	9600	16000	19200	24000	32000	51200
Lamp Weight (kg)	4.5	5.0	5.2	8.5	8.8	9.2

Product Images









INDUSTRY-LEADING QUALITY AND PATENTED DESIGN



Aluminum Construction with powder-coated panels on all components.



Modular Panels with waterproof lenses for enhanced protection.



Built-in Stainless Steel Cage protective cover.



Superior IP65 water and dust resistance, UV resistance, and flame retardant for industrial use.



Velcro Straps for easy removal of balloon diffuser for cleaning and replacement.





Applications

Our 320W CCT adjustable dimmable portable tripod balloon light is widely used for:

Outdoor construction site lighting

Emergency rescue operations

Camping, weddings, and parties

Events, exhibitions, and concerts

Temporary outdoor work areas

Frequently Asked Questions

Are you a manufacturer?

Yes, we have our own factory with over 10 years R&D and manufacture experience based on ISO quality management since 2011.

Do you have any MOQ limit for LED light order?

No MOQ, 1pc for sample checking is available.

Can I get a lower price for large quantity order?

Yes, please check with our sales staff for the details.

How about the lead time of ordering?

Our standard lead time for sample is 3-5 days, and normal order lead time is 7-10 days. For large orders, please check with our sales team.

Can you provide OEM and ODM service?

We can provide OEM and ODM products, with customized label design on the product and carton box, or laser print logo on the lamp fixture.

USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.

+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen