UV Resistant Flame Retardant High Efficiency LED Balloon Light Tower for Outdoor Construction and Events

Basic Information

Place of Origin: Guangdong, ChinaBrand Name: UShineray

Model Number: YXR-BL-150W-A

Minimum Order Quantity: 2Price: \$189



Product Specification

IP Rating: IP65Beam Angle: 360°

Color Temperature: 3000-6000K
Input Voltage: AC 100-277V
Luminous Efficiency: 160 Lm/W
Luminous Flux: 24000 Lm
Working Hours: 50000
Power Range: 60-1400W
Tripod Height: 1.9/3.8m

• Material Composition: Aluminum + S.steel + PC + Fabric

• LED Chips: Lumileds 2835

CRI: ≥70Ra
 Operating Temperature: -20~60
 Lamp Weight: 4.5-9.2 Kg

Inflated Dimension: D40*H30 - D60*H40



More Images









Wholesale Led Light Tower 60W 120W 320W LED Balloon Light Tower with Battery for Wedding Party Event Film Making Lighting

Product Overview

LED Balloon Light Tower product view

LED Balloon Light Tower alternative view

Key Features

Original design with dust absorption filtration device

360° wide area illumination with glare-free, diffused lighting

Lightweight and portable design with quick setup

High efficiency ≥160lm/W with low power consumption

IP65 water-resistant rating for outdoor use

Dimmable up to 320W with on-off button switch

Includes foldable tripod and protective cover

Weather-resistant design with waterproof, UV resistant, fire retardant balloon

Long lifespan exceeding 50,000 hours

Balloon material: Waterproof, translucent, anti-UV, flame-retardant outdoor gauze

Technical Specifications

Model No.	YXR-BL 60W-A	100W-A	120W-A	150W-A	200W-A	320W-A
Power	60W	100W	120W	150W	200W	320W
Lumen (Im)	9600	16000	19200	24000	32000	51200
Lamp Weight (kg)	4.5	5.0	5.2	8.5	8.8	9.2
Inflated Dimension	D40*H30			D60*H40		
Light Efficiency	160lm/W					
LED Chips	Lumileds 2835					
Voltage	AC 100-277V					
CRI	≥70Ra					
CCT	3000K~6000K (Adjustable)					
IP Grade	IP65					
Work Temp	-20~60					
Tripod Height (min-max)	1070-1900mm					
Collapsed Height	1.05m					
Net Weight	6.3kg					

Product Images

LED Balloon Light Tower close-up

LED Balloon Light Tower in use

LED Balloon Light Tower operation

LED Balloon Light Tower components

LED Balloon Light Tower parts

Packaging

LED Balloon Light Tower packaging

LED Balloon Light Tower shipping package

LED Balloon Light Tower boxed

Applications

LED Balloon Light Tower in use at event

120W CCT adjustable dimmable 360 degree illumination balloon light widely used for temporary work light, outdoor camping, events, weddings, parties, concerts, and film production lighting.

Frequently Asked Questions

Q1. Are you a manufacturer?

Yes, we have our own factory with over 10 years R&D and manufacture experience based on ISO quality management since 2011.

Q2. Do you have any MOQ limit for LED light order?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for large quantity order?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard lead time for sample is 3-5 days, and normal order lead time is 7-10 days. For large orders, please check with our sales team.

Q5. Can you provide OEM and ODM service?

We can provide OEM and ODM products, with customized label design on the product and carton box, or customized carton box and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, Western Union, and we offer EXW terms.

Q7. How to deal with the defective?

All of our products are produced under strict quality control with defective rate less than 0.2%. We offer 3-5 years warranty. During warranty, provide pictures/video of defective lights and we will ship replacements within days or with your next order.





+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District, Shenzhen