

Wholesale LED Balloon Light Tower with 60W-320W Power Range High Efficiency 160lm/W and 50,000hrs Lifespan for Outdoor Events

Our Product Introduction

for more products please visit us on ushineraylight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: UShineray
- Model Number: YXR-BL-150W-A
- Minimum Order Quantity: 2
- Price: \$189





Product Specification

- IP Rating: IP65
- Beam Angle: 360°
- Color Rendering Index: 80
- Color Temperature: 3000-6000K
- Input Voltage: AC 100-277V
- Luminous Efficiency: 160 Lm/W
- Luminous Flux: 24000 Lm
- Working Hours: 50000
- Light Source: LED
- Power: 60-1400W
- Tripod Max Height: 1.9/3.8m
- Material: Aluminum + S.steel + PC + Fabric
- LED Chips: Lumileds 2835
- Work Temperature: -20~60
- Lamp Weight: 4.5-9.2 Kg



More Images



Product Description

Wholesale Hand Crank Tripod LED Balloon Light Tower (60W-320W)

Professional-grade portable lighting solution featuring 360° illumination, dimmable output, and weather-resistant design. Ideal for weddings, events, film production, and outdoor applications.

LED Balloon Light Tower showing full setup with inflated balloon and tripod

Close-up view of LED Balloon Light Tower controls and construction

Key Features

- Original filtration design for dust absorption
- 360° wide area coverage with glare-free, diffused lighting
- High efficiency $\geq 160\text{lm/W}$ with low power consumption
- IP65 water-resistant rating for outdoor use
- Dimmable output up to 320W with on-off button switch
- Foldable tripod and cover for quick setup and portability
- Weather-resistant design with waterproof, UV-resistant, fire-retardant balloon
- Long lifespan exceeding 50,000 hours
- Balloon material: Waterproof, translucent, anti-UV, flame-retardant outdoor gauze

Technical Specifications

Model No.	YXR-BL 60W-A	100W-A	120W-A	150W-A	200W-A	320W-A
Power	60W	100W	120W	150W	200W	320W
Lumen (lm)	9600	16000	19200	24000	32000	51200
Lamp Weight (kg)	4.5	5.0	5.2	8.5	8.8	9.2
Inflated Dimension	D40*H30			D60*H40		
Light Efficiency	160lm/W					
LED Chips	Lumileds 2835					
Voltage	AC 100-277V					
CRI	$\geq 70\text{Ra}$					
CCT	3000K~6000K (Adjustable)					
IP Grade	IP65					
Work Temp	-20~60					
Tripod Height (min-max)	1070-1900mm			Collapsed Height: 1.05m	Net Weight: 6.3kg	

Product Images

LED Balloon Light Tower showing detailed construction

Close-up of LED Balloon Light Tower controls and connections

LED Balloon Light Tower in operation at night

Portable LED Balloon Light Tower in transport configuration

LED Balloon Light Tower used in event lighting application

Multiple LED Balloon Light Towers illuminating outdoor space

Packaging

LED Balloon Light Tower packaging overview

LED Balloon Light Tower protective packaging details

LED Balloon Light Tower shipping carton

Applications

LED Balloon Light Tower used in wedding application

120W CCT adjustable dimmable 360° illumination balloon light widely used for temporary work light, outdoor camping, events, weddings, parties, concerts, and film production lighting.

Frequently Asked Questions

Q1. Are you a manufacturer?

Yes, we have our own factory with over 10 years R&D and manufacture experience based on ISO quality management since 2011.

Q2. Do you have any MOQ limit for LED light order?

No MOQ, 1pc for sample checking is available.

Q3. Can I get a lower price for large quantity order?

Yes, please check with our sales staff for the details.

Q4. How about the lead time of ordering?

Our standard lead time for sample is 3-5 days, and normal order lead time is 7-10 days. For large orders, please check with our sales team.

Q5. Can you provide OEM and ODM service?

We can provide OEM and ODM products, with customized label design on the product and carton box, or customized carton box, and laser print logo on the lamp fixture.

Q6. What is the payment terms of your formal order?

We accept payment via TT, Paypal, Western Union, and we offer EXW terms.

Q7. How to deal with the defective?

All of our products are produced under strict quality control with defective rate less than 0.2%. We offer 3-5 years warranty. During warranty, please provide pictures/video of defective lights, and we will ship replacements within days or with your next order.

USHINERAY Shenzhen Yongxinrui Lighting Technology Co., Ltd.



+8613410523891



joy@ushineray.com



ushineraylight.com

4F, Building C, Junxing Optoelectronic Industrial Park, Fuyuan 2nd Road, FuHai Street, Bao'an District,
Shenzhen